



Free Standing Cookers
2016-2017

VESTEL





Company Profile
02-03



Global Operations
04-05



Freestanding Cookers
12-63



Double Ovens
64-93



90x60 Freestanding Cookers
94-120



Specifications
121-134



Addresses
137



Company Profile

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

As one of the leading enterprises in Turkey, Vestel is a major player in consumer electronics, mobile technologies, household appliances, professional displays and LED lighting with renowned products, including refrigerators, washing machines, cooking appliances, dishwashers, air conditioners, water heaters, television sets, educational, hospitality and digital signage solutions, digital set-top boxes, tablet PCs, and smart phones.


The company is recognised for its cutting-edge designs, high product quality, large production capacity, and superior market share growth.

Vestel is one of the ten biggest household appliance manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.



Operating with an annual capacity of 3.2 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 2.5 million units a year, with models ranging from 4 kg to 9 kg drum capacities. The group added washer



dryers to the product range in 2012. The plant for cooking appliances operates with an annual capacity of 2.2 million units, producing free-standing cookers, built-in hobs and ovens.

The household appliances product range includes free standing, semi and fully integrated dishwashers. The plant has the capacity to produce 2.5 million units a year.

In addition, the air conditioner factory is capable of producing 750,000 units of split-type models.

Vestel is the first company in Turkey operating two manufacturing plants in Russia for the production of refrigerators, washing machines, and televisions with the aim of becoming a leader in CIS countries.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 73% percent of its production under leading Japanese and European brands to 152 countries.

Vestel Trade has achieved export sales of 8.3 million units of electronics and 4.8 million units of household appliances.

Distributing its products to seven continents, Vestel takes its place as a world-class company.

 Global Operations



Manufacturing & Assembly Plants

Refrigerator, Washing Machine, Dishwasher, Cooking Appliances,

LED TV, HD, IP/OTT, PVR Set-top Boxes – Manisa, Turkey

Professional Displays, Tablet PC, Smart Phone, LED lighting – Manisa Turkey

Air Conditioner, Water Heater Manisa, Turkey

Marketing & Sales Companies

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, The UK

Vestel Iberia, Spain

Gruppo Industriale Vesit, Italy

Vestel Benelux, The Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Scandinavia, Finland

Vestfrost Household, Denmark

Vestel Central Asia, Kazakhstan

R&D Centers

Manisa, Turkey

Istanbul, Turkey

Bristol, UK

Shanghai, China

PRODUCT RANGE

Freestanding Cookers								
Size [cm]	90x60		60x60		50x60		50x50	
Oven	Gas	Electric	Gas (60LT)	Electric (60/65LT)	Gas	Electric	Gas	Electric
Hob	Gas Mixed	Gas Mixed Radiant Induction	Gas Mixed Gas on Glass	Gas Mixed Gas on Glass Hotplate Radiant Induction	Gas Mixed	Gas Mixed Hotplate Radiant	Gas Mixed	Gas Mixed Hotplate Radiant
Bottle Compartment	Yes / No	Yes / No	No	No	No	No	No	No
Self Clean (Pyro)	No	No	No	No / Yes	No	No	No	No

FREE-STANDING COOKERS		Gas Cooker	Electric Cooker with Solid Hotplates	Electric Cooker with Ceran Glass	Electric Cooker with Induction Hob	Combi (Dual Fuel) Cooker	
Colors	White	Default	Default	Default	Default	Default	
	Brown / Black / Silver / Red / Dark Green / TDF	Optional	Optional	Optional	Optional	Optional	
	Stainless Steel / Inox painted	Optional	Optional	Optional	Optional	Optional	
	Anthracite*, Cream*	Optional	Optional	Optional	Optional	Optional	
	Flat Metal Control Panel	Default	Default	Default	Default	Default	
Control Panel	3D Metal Control Panel	Optional	Optional	Optional	Optional	Optional	
	Glass Control Panel (only 60x60)	Optional	Optional	Optional	Optional	Optional	
	Full Flat Metal Control Panel**	Optional	Optional	Optional	Optional	Optional	
	Edge Aesthetic Metal Control Panel**	Optional	Optional	Optional	Optional	Optional	
	Level Aesthetic Metal Control Panel**	Optional	Optional	Optional	Optional	Optional	
Oven Doors	Flat - Flat Outer Glass and Inner Metal Door	Default	Default	Default	Default	Default	
	Flat - Full Outer Glass and Inner Metal Door (mirror glass)	Optional	Optional	Optional	Optional	Optional	
	Flat - Full Outer and Inner Glass Door	Optional	Optional	Optional	Optional	Optional	
	Flat - Full Outer and Inner Glass Door (mirror glass)	Optional	Optional	Optional	Optional	Optional	
	Flat - Triple Glass Door	Optional	Optional	Optional	Optional	Optional	
	Flat - Flat Metal Oven Door with Small Glass	Optional	Optional	Optional	-	Optional	
	3D - 3D Metal Oven Door with Small Glass**	Optional	Optional	Optional	Optional	Optional	
	Flat - Full Inner Glass Door***	-	-	Optional	Optional	Optional	
Handles	Inox / Inox Painted	Optional	Optional	Optional	Optional	Optional	
	Inox Painted Knobs	Optional	Optional	Optional	Optional	Optional	
Knob	Stainless Steel Covered Plastic Knobs	Optional	Optional	Optional	Optional	Optional	
	Push-Pull Knobs**	Optional	Optional	Optional	Optional	Optional	
	Printed Knobs	Optional	Optional	Optional	Optional	Optional	
	Top Heating Element	-	Default	Default	Default	Default	
Oven Functions	Bottom Heating Element	-	Default	Default	Default	Default	
	Electric Grill	Optional	Optional	Optional	Optional	Optional	
	Gas Oven Burner	Default	-	-	-	-	
	Gas Grill	Optional	-	-	-	-	
	Gas Safety in Oven	Default	-	-	-	-	
	Thermostat	Optional	Default	Default	Default	Default	
	Turnspit	Optional	Optional	Optional	Optional	Optional	
	Multifunction	-	Optional	Optional	Optional	Optional	
	Electric Double Grill	-	Optional	Optional	Optional	Optional	
	Fan	Optional	Optional	Optional	Optional	Optional	
	Double Fan****	-	-	Optional	Optional	Optional	
	Fan with Ring Heating Element	-	Optional	Optional	Optional	Optional	
	Pyrolize Function**	-	-	Optional	-	-	
	Cooling Fan	Optional	Optional	Optional	Default	Optional	
	Automatic Boost Function**	-	-	-	-	-	
	Shabat**	-	Optional	Optional	Optional	Optional	
	Hob Features	Enamel Pan Supports	Default	-	-	-	Default
		Cast Iron Pan Supports	Optional	-	-	-	Optional
Enamel Burner Caps		Default	-	-	-	Default	
Cast Iron Burner Caps		Optional	-	-	-	Optional	
Coffee Adaptor		Optional	-	-	-	Optional	
Wok Adaptor		Optional	-	-	-	Optional	
Vitroceraamic Glass Cleaning Spatula		-	-	Optional	Optional	-	
Battery ignition		Optional	-	-	-	-	
Button Ignition		Optional	-	-	-	Optional	
One-touch-Ignition through knobs		Optional	-	-	-	Optional	
Gas on Glass Hob		Optional	-	-	-	Optional	
Gas-Hotplate Hob Configuration		Optional	-	-	-	Optional	
Ø 80 mm Hotplate**		-	Optional	-	-	-	
Ø 145 mm Hotplate		Optional	Default	-	-	Optional	
Ø 180 mm Hotplate		Optional	Default	-	-	Optional	
Ø 220 mm Hotplate**		-	Optional	-	-	-	
Ø 145 mm Rapid Hotplate		Optional	Optional	-	-	Optional	
Ø 180 mm Rapid Hotplate		Optional	Optional	-	-	Optional	
Ø145 mm Highlite Element		-	-	Default	-	-	
Ø180 mm Highlite Element		-	-	Default	-	-	
Ø210 mm Highlite Element		-	-	Optional	-	-	
Ø180 mm Dual Highlite Element		-	-	Optional	-	-	
Oval Highlite Element		-	-	Optional	-	-	
Ø210 mm Dual Highlite Element		-	-	Optional	-	-	
Ø160 mm Induction Element		-	-	-	-	-	
Ø200 mm Induction Element		-	-	-	-	-	
Ø160 mm Induction Element (Boost)		-	-	-	Default	-	
Ø200 mm Induction Element (Boost)		-	-	-	Default	-	
Ø250 mm Induction Element (Boost)		-	-	-	Optional	-	
Hot Surface Indicator Light		-	-	Default	Default	-	
Hotplate Operation Indicator Light	-	Default	-	-	Default		
Thermostat Operation Indicator Light	-	Default	Default	Default	Default		
Stainless Steel Burner Pan (in case of gas on glass hob)	Optional	-	-	-	Optional		
Burner Safety Valves	Optional	-	-	-	Optional		

FREE-STANDING COOKERS		Gas Cooker	Electric Cooker with Solid Hotplates	Electric Cooker with Ceran Glass	Electric Cooker with Induction Hob	Combi (Dual Fuel) Cooker
Timers	Mechanical Minute Minder	Optional	Optional	Optional	Optional	Optional
	Mechanical Timer	-	Optional	Optional	Optional	Optional
	Digital Clock	Optional	Optional	Optional	Optional	Optional
	Digital Programmer	-	Optional	Optional	Optional	Optional
Accessories	Digital Touch Programmer	-	Optional	Optional	-	Optional
	Baking Tray (Shallow Tray)	Optional	Optional	Optional	Optional	Optional
	Glass Tray (only 60x60)	Optional	Optional	Optional	Optional	Optional
	Roasting Tray (Deep Tray)	1	1	1	1	1
	Round Tray**	-	Optional	Optional	Optional	Optional
	8 cm Deep Tray (only 60x60)	-	Optional	Optional	Optional	Optional
	Chromed Grid with Stoper	1	1	1	1	1
	Wire grid for deep tray	Optional	Optional	Optional	Optional	Optional
	Broil Pan with/without Handle Set**	Optional	Optional	Optional	Optional	Optional
	Oven Light (25W)	Optional	Optional	Optional	Optional	Optional
	Easy to Clean Enamel	Default	Default	Default	Default	Default
	Catalytic Enamel Panels (Left, right and rear)	Optional	Optional	Optional	Optional	Optional
	Wire Racks	Optional	Optional	Optional	Optional	Optional
	Wire Racks with Half Telescopic Rails (1 or 2)	Optional	Optional	Optional	Optional	Optional
	Wire Racks with Full Telescopic Rails (1 or 2)	Optional	Optional	Optional	Optional	Optional
Adjustable Feet	Default	Default	Default	Default	Default	
Wheel**	Optional	Optional	Optional	Optional	Optional	
Lid	Metal Lid**	Default	Optional	-	-	Default
	Splashback	Optional	Optional	Optional	Optional	Optional
	Glass Lid (Transparent)	Optional	Optional	-	-	Optional
Energy Class	B Class	-	Default	Default	Default	Default
	A Class	Default	Optional	Optional	Optional	Optional
Drawers	Flap Drawer	Optional	Optional	Optional	Optional	Optional
	4WG Farmer Drawer at the bottom**	Optional	Optional	Optional	Optional	Optional
	Glass Warmer Drawer (white/black/mirror glass)	Optional	Optional	Optional	-	Optional
Packaging	Shrink Packaging**	Default	Default	Default	Default	Default
	Carton Box Packaging	Optional	Optional	Optional	Optional	Optional
	SKD/CKD**	Optional	Optional	Optional	Optional	Optional

* Only on painted parts
 ** Not available on 90x60 FS
 ***Only available for 60x60 65lt FS
 ****Only available for 90x60 FS

KNOB TYPES

			
	Antero	Big Macro Ring	Delta Ring
DOUBLE-OVEN	✓	✗	✗
NGFS	✓	✓	✓
FS 90 CM	✗	✗	✗

			
	Eclipse Ring	Epsilon	Gama Ring
DOUBLE-OVEN	✓	✓	✓
NGFS	✓	✓	✓
FS 90 CM	✗	✗	✓









			
	Jannu Ring	Nord Ring	Omega
DOUBLE-OVEN	✓	✓	✓
NGFS	✓	✓	✓
FS 90 CM	✗	✓	✗








			
	Pipo	Rimo	Rustic Risus (with Ring)
DOUBLE-OVEN	X	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	X	✓

			
	Sigma (Small)	Spectrum	Trio
DOUBLE-OVEN	✓	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	✓	X

			
	Vesta	Vario Ring	Zeta Ring
DOUBLE-OVEN	X	✓	✓
NGFS	X	✓	✓
FS 90 CM	✓	X	X

HANDLE TYPES

HANDLE TYPE - Length (mm)	50x50 Freestanding	50x60 Freestanding	60x60 Freestanding	90x60 Freestanding			50x60 Double Oven	60x60 Double Oven
				Standard	Professional	Bottle Compartment		
ELLIPSE ARC								
	✓	✓	✓	x	x	x	✓	✓
D PROFILE ARC								
	✓	✓	✓	x	x	x	✓	✓
ARC QUADRANGLE								
	✓	✓	✓	x	x	x	✓	✓
3D QUADRANGLE								
	✓	✓	✓	x	x	x	✓	✓
FLAT QUADRANGLE								
	✓	✓	✓	✓	✓	x	✓	✓
ARC TUBE								
	✓	✓	✓	x	x	x	✓	✓
FLAT SLICE								
	✓	✓	✓	x	x	x	✓	✓
TRIO								
	✓	✓	✓	✓	✓	✓	✓	✓

HANDLE TYPE - Length (mm)	50x50 Freestanding	50x60 Freestanding	60x60 Freestanding	90x60 Freestanding			50x60 Double Oven	60x60 Double Oven
				Standard	Professional	Bottle Compartment		
METALUX								
	✓	✓	✓	✓	✓	✓	✓	✓
RUSTIC								
	✓	✓	✓	✓	✓	x	✓	✓
CURVED QUADRANGLE								
	✓	✓	✓	x	x	x	✓	✓
BOW								
	✓	✓	✓	✓	✓	✓	✓	✓
CYLINDER								
	✓	✓	✓	✓	✓	✓	✓	✓
TROY								
	✓	✓	✓	✓	✓	✓	✓	✓
VERO								
	✓	✓	✓	✓	✓	✓	✓	✓

Freestanding Cookers





- 1. LID
- 2. WARMING DRAWER BUTTON
- 3. TIMER
- 4. SIDE PANEL
- 5. OVEN DOOR
- 6. PLINTH
- 7. PAN SUPPORTS
- 8. COOKTOP

- 9. KNOBS
- 10. CONTROL PANEL
- 11. HANDLE
- 12. ADD-ON
- 13. DRAWER
- 14. KICKPLATE
- 15. FEET

FLAT



FULL FLAT



COMBINED



3D



EDGE



LEVEL



GLASS





TYPE 8
Full outer glass and
inner metal door



TYPE 9
Full outer and inner
glass door



TYPE 10
3D metal oven door
with small glass



TYPE 11
Full Glass Oven Door



TYPE 10
Pyro Oven Door



Mono
Stripe
17mm



Mono
Stripe
50mm



Mono
Stripe
100mm



I type
50mm



U type
50mm





METAL LID



GLASS LID WITH BUMPERS



GLASS LID WITH METAL PROFILE



TIMER TYPES



Digital Touch Full Programmer



Digital Touch Timer (for glass panel)



Digital Touch Timer



Digital Clock and Minute Minder



Pyrolitic Timer



Mechanical Timer



Minute Minder



Enamel Mold Runners



Enamel Cavity with Mold Runners



Catalytic Enamel Side Panels




Catalytic Enamel Side and Rear Panels



Wire Rack in Enamel Cavity



Wire Racks in Enamel Cavity



Wire Rack in Catalytic Enamel Cavity



Catalytic Enamel Panel with Side Wire Racks


TELESCOPIC SHELF TYPES




Single Telescopic Shelf



Double Telescopic Shelves



Full Extension Telescopic Shelf



Double Full Extension Telescopic Shelves



Telescopic



Full Extension Telescopic



Telescopic Shelves Stabilizer



Telescopic Shelves Stabilizer



Electric Grill



Fan with The Ring for Multifunction Ovens




Oven Lamp



Side Lighting



Gas Grill (Free Standing Gas Cooker)



Oven Gas Burner



Oven Gas Burner Cover



4 Wheel Guided Drawer



Flap Drawer



Warming Drawer Handle



Warming Drawer



Warming Drawer Button



Ignition Button (Free Standing Gas Cookers)




Turnspit Button (Free Standing Gas Cooker)



Light Button (Free Standing Gas Cooker)




Adjustable Feet



Adjustable Feet



Wheels at Rear



Wheels at Rear



Child Lock



Ground Type Anti-Tip Bracket



Ground Type Anti-Tip Bracket



Wall Type Anti-Tip Bracket



Wall Type Anti-Tip Bracket



Cooling Fan



Concrete Weight



Rear Bottom Cover




Grey Enamel




Heat Shield




Plinth



Slim Design for Vitroceramic Cookers



Point Design for Vitroceramic Cookers



Arc Design for Vitroceramic Cookers




Slim Design (for Induction Cookers)




Dual Zone for Vitroceramic Cookers




210 mm Zone for Vitroceramic Cookers




Hot Surface Indicator Light for Vitroceramic Cookers




Hot Surface Indicators for Vitroceramic Cookers



Touch Control Panel for Induction Cookers




Slider Touch Control Panel for Induction Cookers



Highlight Heating Element



Radiant Heating Element



Touch Control Panel for Induction Cookers with Knob Control



Vitreoceramic Glass Cleaning Spatula



Wok Burner



Flame Failure Device for Gas Burners



Ignition for Gas Burners



Rapid Solid Hotplate

PAN SUPPORT TYPES



Enamel Pan Supports



Mat Enamel Pan Supports



Cast Iron Pan Supports



Enamel Burner Pan and Enamel Pan Support for Gas on Glass Hobs



Inox Burner Pan and Mat Enamel Pan Supports for Gas on Glass Hobs



Mat Enamel Burner Pan and Cast Iron Pan Support for Gas on Glass Hobs



Enamel Burner Caps



Enamel Flat Burner Caps



Mat Enamel Burner Caps



Cast Iron Burner Caps



D-Type Pan Support



V-Type Pan Support



S-Type Pan Support



Cast Iron S - Type Pan Support



Cast Iron Wok Adapter



Enamel Wok Adapter



Enamel Wok Adapter (Square)



Enamel Coffee Support



Shallow Tray



Deep Tray



80 mm Deep Tray



Grill Pan Handle Set



Chromed Wire Grid



Chromed Wired Grid for Deep Tray



Glass Tray




Round Tray and Grid Set



Pizza Stone and Shovel (Pizza Set)



Turnspit Set with Metal Bracket



Turnspit Set with Grid



Multi Purpose Rotisserie



Meat Probe



Oil Filter


VapClean® Function



With VapClean®, function, dried food stains inside the oven cavity is softened with vapor.

To perform VapClean®, a glass of water is poured into the small tray which will be placed at the bottom of the oven. After that, VapClean® function is activated to create vapor inside oven cavity which will soften dried food stains.

Pyrolysis Function



During the pyrolytic cleaning process, the oven heats up to approximately 480°C at which the temperature is kept for 1 hour while the door is locked for safety purposes.

At this temperature, residues from roasting, grilling and baking are reduced to a thin layer of ash that can simply be wiped away with a damp cloth.



FIPC66.02

STANDARD FEATURES

60x60 pyrolytic cooker
 Induction cooktop (2x200mm,
 2x160mm)
 Boost for induction zones
 Hot surface indicator
 Electronic thermostat in oven
 Pyrolytic oven door
 Pyrolytic digital full programmer
 Flat aesthetic

OPTIONAL FEATURES

Stainless Steel
 Push-pull knobs
 Inox handle
 4 wheel guided drawer
 90cm height
 Mono stripe 100mm laser-cut
 inox cladding on oven door
 Knob control for induction
 cooktop

FIPC66.01

STANDARD FEATURES

60x60 pyrolytic cooker
 Induction cooktop (2x200mm
 2x160mm)
 Boost for induction zones
 Hot surface indicator
 Electronic thermostat in oven
 Pyrolytic oven door
 Pyrolytic digital full programmer
 Metal cladded knobs

OPTIONAL FEATURES

Stainless Steel
 Inox handle
 4 wheel guided warmer drawer
 Knob control for induction
 cooktop
 Flat aesthetic





FIC66.01

STANDARD FEATURES

- 60x60 induction cooker
- Induction touch control cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Hot surface indicator
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless steel
- 3D aesthetic
- Metal oven door
- Digital full programmer
- 4 wheel guided drawer
- Push-pull knobs
- Inox handle

FIC66.05

STANDARD FEATURES

- 60x60 induction cooker
- Induction touch control cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Hot surface indicator
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless steel
- 3D aesthetic
- Metal oven door
- Mechanical timer
- Flap drawer
- Metal clad knobs
- Inox handle





FIC66.04

STANDARD FEATURES

60x60 induction cooker
 Induction touch control cooktop
 (2x200mm, 2x160mm)
 Boost for induction zones
 Hot surface indicator
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

Mechanical timer
 Flap drawer
 Full outer glass door with big
 inner glass
 White painted oven door

FIC66.02

STANDARD FEATURES

60x60 induction cooker
 Induction cooktop (2x200mm,
 2x160mm)
 Boost for induction zones
 Hot surface indicator
 Electric oven
 Thermostat in oven

OPTIONAL FEATURES

Induction knob control cooktop
 Stainless steel
 3D control panel
 Digital full programmer
 4 wheel guided drawer
 Push-pull knobs
 Inox handle
 Combined aesthetic
 Full outer glass door with big
 inner glass





FPC66.01

STANDARD FEATURES

- 60x60 pyrolytic cooker
- Vitroceraamic cooktop
- Hot surface indicator light
- Pyrolytic digital full programmer
- Electronic thermostat in oven
- Flat aesthetic
- Pyrolytic oven door

OPTIONAL FEATURES

- Stainless steel
- 4 wheel guided drawer
- Inox painted knobs
- Inox handle
- 90 cm height

FPC66.02

STANDARD FEATURES

- 60x60 pyrolytic cooker
- Vitroceraamic cooktop
- Hot surface indicator light
- Pyrolytic digital full programmer
- Electronic thermostat in oven
- Flat aesthetic
- Pyrolytic oven door

OPTIONAL FEATURES

- Flap drawer
- 90 cm height





FVC66.10

STANDARD FEATURES

60x60 vitroceraic cooker
 Vitroceraic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Electronic thermostat in oven

OPTIONAL FEATURES

Stainless steel
 Glass aesthetic
 Black glass control panel, oven
 door and storage panel
 Digital touch control
 programmer
 4 wheel guided drawer
 Push-pull knobs
 Inox handle
 90cm height
 Full outer glass door with big
 inner glass

FVC66.01

STANDARD FEATURES

60x60 vitroceraic cooker
 Vitroceraic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

Stainless steel
 3D control panel
 Full glass oven door with inox
 side stripe add-on
 Mechanical timer
 Flap drawer
 Inox painted knobs
 Inox handle
 Combined aesthetic
 Full outer glass door with big
 inner glass





FVC66.11

STANDARD FEATURES

60x60 vitroc ceramic cooker
 vitroceramic cooktop (2x145)
 (2x180)
 hot surface indicator light
 Electric oven
 Thermostat in oven

OPTIONAL FEATURES

Stainless steel
 Digital programmer
 Full glass oven door with inox
 stripe add-on
 Inox handle
 Flap drawer
 Level aesthetic
 Metal cladded knobs

FVC66.03

STANDARD FEATURES

60x60 vitroceramic cooker
 Vitroceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

Stainless steel
 Mirror glass oven door
 Digital full programmer
 Metal cladded knobs
 Inox handle
 Full outer glass door with big
 inner glass





FVC66.05

STANDARD FEATURES

60x60 vitroc ceramic cooker
 Vitroc ceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven

OPTIONAL FEATURES

3D aesthetic
 Metal oven door
 4 wheel guided drawer
 Mechanical timer

FVC66.08

STANDARD FEATURES

60x60 vitroc ceramic cooker
 Vitroc ceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

Flap drawer
 Full outer glass with big
 inner glass





FVC56.01

STANDARD FEATURES

- 50x60 vitroc ceramic cooker
- Vitroc ceramic cooktop (2x145) (2x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven
- Flat aesthetic

OPTIONAL FEATURES

- Stainless steel
- Mechanical timer
- Flap drawer
- Metal clad knobs
- Black handle
- Full outer glass door with big inner glass

FVC56.02

STANDARD FEATURES

- 50x60 vitroc ceramic cooker
- Vitroc ceramic cooktop (2x145) (2x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless steel
- 3D control panel
- 4 wheel guided drawer
- Metal clad knobs
- Inox handle
- Full glass oven door with inox side stripe add-on
- Serigraphy on the knob ring
- Combined aesthetic
- Full outer glass door with big inner glass





FVC56.03

STANDARD FEATURES

50x60 vitroc ceramic cooker
 Vitroc ceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

Mechanical timer
 Flap drawer
 Full outer glass door with big
 inner glass

FVC55.01

STANDARD FEATURES

50x50 vitroc ceramic cooker
 Vitroc ceramic cooktop (2x145)
 (1x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

Stainless steel
 4 wheel guided drawer
 Metal clad knobs
 Inox handle
 Mechanical timer
 Full outer glass door with big
 inner glass





FVC55.02

STANDARD FEATURES

- 50x50 vitroceramic cooker
- Vitroceramic cooktop (4x145)
- Hot surface indicator light
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Anthracite painted
- 3D aesthetic
- Metal oven door
- Anthracite enamelled cooktop
- Flap drawer
- Black knobs
- Anthracite handle

FVC55.03

STANDARD FEATURES

- 50x50 vitroceramic cooker
- Vitroceramic cooktop (2x145) (1x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven
- Flat aesthetic

OPTIONAL FEATURES

- White glass oven door
- 4 wheel guided drawer
- Full outer glass door with big inner glass





FEC66.01

STANDARD FEATURES

60x60 electric cooker
Electric oven
Thermostat in oven

OPTIONAL FEATURES

4 solid hotplates (1x80)(1x145)
(1X180)(1x220)
80mm coffee hotplate
220mm hotplate
3D aesthetic
Metal oven door
4 wheel guided drawer
Metal clad knobs
Metal Lid

FEC66.02

STANDARD FEATURES

60x60 electric cooker
Electric oven
Thermostat in oven
Flat aesthetic

OPTIONAL FEATURES

4 solid hotplates (1x80)(1x145)
(1X180)(1x220)
80mm coffee hotplate
220mm hotplate
Mechanical timer
Flap drawer
Push-pull knobs
Full outer glass door with big
inner glass
Metal Lid





FEC66.03

STANDARD FEATURES

60x60 electric cooker
4 solid hotplates (2x145)(2x180)
Electric oven
Thermostat in oven
Flat aesthetic

OPTIONAL FEATURES

Silver painted
180 mm rapid hotplate
Inox cooktop
Silver painted knobs and handle
Flap drawer
Full outer glass door with big inner glass
Metal Lid

FEC66.05

STANDARD FEATURES

60x60 electric cooker
Electric oven
Thermostat in oven
Metal clad knobs

OPTIONAL FEATURES

4 solid hotplates (1x80)(1x145)
(1X180)(1x220)
Stainless steel
Cooling fan
80mm coffee hotplate
180mm rapid hotplate
220mm hotplate
3D aesthetic
Metal oven door
4 wheel guided drawer
Inox clad knobs
Inox handle
Metal Lid



FEC66.06



STANDARD FEATURES

60x60 electric cooker
4 solid hotplates (2x145)(2x180)
Electric oven
Thermostat in oven

OPTIONAL FEATURES

Stainless steel
4 wheel guided drawer
Metal clad knobs
Inox handle
Side stripe type laser-cut inox cladding on oven door
Mechanical timer
180mm rapid hotplate
Edge aesthetic
Full outer glass door with big inner glass

FEC66.04

STANDARD FEATURES

60x60 electric cooker
Electric oven
Thermostat in oven

OPTIONAL FEATURES

4 solid hotplates (1x80)(1x145)
(1x180)(1x220)
80mm coffee hotplate
180mm rapid hotplate
220mm hotplate
4 wheel guided drawer
Inox painted knobs
Inox handle
Side stripe type laser-cut inox cladding on oven door
Serigraphy on the knob ring
Flap drawer
Combined aesthetic
Full outer glass door with big inner glass
Metal Lid





FEC56.01

STANDARD FEATURES

50x60 electric cooker
4 solid hotplates (2x145)(2x180)
Electric oven
Thermostat in oven

OPTIONAL FEATURES

3D aesthetic
145mm and 180mm rapid
hotplate
90cm height
Metal Lid

FEC56.02

STANDARD FEATURES

50x60 electric cooker
4 solid hotplates (2x145)(2x180)
Electric oven
Thermostat in oven

OPTIONAL FEATURES

Stainless steel
Mechanical timer
Flap drawer
Inox painted knobs
Inox handle
U type laser-cut inox cladding on
oven door
Combined aesthetic
Full outer glass door with big
inner glass





FEC55.03

STANDARD FEATURES

50x50 electric cooker
 4 solid hotplates (2x145)(2x180)
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

Stainless steel
 Inox painted knobs
 Inox handle
 Flap drawer
 Glass lid with bumpers
 Full outer glass door with big inner glass

FEC55.02

STANDARD FEATURES

50x50 electric cooker
 4 solid hotplates (2x145)(2x180)
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

Flap drawer
 Full outer glass door with big inner glass





FMC66.19

STANDARD FEATURES

- 60x60 dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless steel
- Mechanical timer
- Inox handle
- Mat enamel pan support
- Mat enamel burner caps
- Glass lid with bumpers
- Automatic ignition
- 4 wheel guided drawer
- Serigraphy on the knob ring
- Level aesthetic

FMC66.20

STANDARD FEATURES

- 60x60 dual fuel cooker
- 3 gas burners + Electric Hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps
- Level aesthetic

OPTIONAL FEATURES

- Silver painted
- Black enamel cooktop
- Glass lid with bumpers
- Automatic ignition
- 4 wheel guided drawer
- Serigraphy on the knob ring
- Level aesthetic
- Metal cladded knobs





FMC66.18

STANDARD FEATURES

60x60 dual fuel cooker
4 gas burners
Electric oven
Thermostat in oven

OPTIONAL FEATURES

Glass aesthetic
Wok burner
Warming drawer
Inox handle
Metal clad knobs
Cast iron pan supports & burner caps
Automatic ignition
Inox cooktop

FMC66.08

STANDARD FEATURES

60x60 dual fuel cooker
4 gas burners
Electric oven
Thermostat in oven

OPTIONAL FEATURES

Stainless steel
Wok burner
Full Flat aesthetic
Cast iron pan support and burner caps
Digital full programmer
4 wheel guided drawer
Glass lid with inox profile
Inox painted knobs & handle
Automatic ignition
Side stripe type laser-cut inox cladding on oven door
Full outer glass door with big inner glass





FMC66.02

STANDARD FEATURES

- 60x60 dual fuel cooker
- 3 gas burners + Electric Hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support & burner caps

OPTIONAL FEATURES

- Stainless steel
- Cast iron pan support and burner caps
- Digital full programmer
- 4 wheel guided drawer
- Glass lid with inox profile
- Inox painted knobs & handle
- Automatic ignition
- Serigraphy on the knob ring
- 180mm rapid hotplate
- Combined aesthetic
- Full outer glass door with big inner glass
- Metal clad knobs

FMC66.21

STANDARD FEATURES

- 60x60 dual fuel cooker
- 3 gas burners + Electric Hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps

OPTIONAL FEATURES

- Black painted
- Edge design control panel
- Automatic ignition
- Mechanical timer
- Metal lid
- Flap drawer
- Serigraphy on the knob ring





FMC66.09

STANDARD FEATURES

60x60 dual fuel cooker
 3 gas burners + electric hotplate
 Electric oven
 Thermostat in oven
 Enamel pan support & burner caps
 3D Aesthetic

OPTIONAL FEATURES

Silver enamel
 3D control panel and oven door
 Metal oven door
 Silver enamel cooktop
 Black knobs
 Silver painted handle
 Mechanical Timer
 Automatic ignition
 Flap drawer
 Serigraphy on the knob ring
 Metal Lid

FMC66.03

STANDARD FEATURES

60x60 dual fuel cooker
 4 gas burners
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

Stainless steel
 Digital full programmer
 Cast iron pan support and burner caps
 4 wheel guided drawer
 Glass lid with inox profile
 Inox painted knobs & handle
 Automatic ignition
 U-type laser-cut inox cladding on oven door
 Full outer glass door with big inner glass





FMC66.10

STANDARD FEATURES

- 60x60 dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- Flat oven door and storage panel
- Enamel pan support & burner caps
- Metal lid

OPTIONAL FEATURES

- Silver painted
- Black enamel cooktop
- Silver painted knobs and handle
- Automatic ignition
- 4 wheel guided drawer
- Combined aesthetic
- Full outer glass door with big inner glass

FMC66.05

STANDARD FEATURES

- 60x60 dual fuel cooker
- 3 gas burner + Electric Hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps

OPTIONAL FEATURES

- 3D aesthetic
- Metal oven door
- Mechanical timer
- Automatic ignition
- Flap drawer
- Metal lid



FMC66.13



STANDARD FEATURES

60x60 dual fuel cooker
Electric oven
Thermostat in oven

OPTIONAL FEATURES

Inox painted
4 gas burners on glass
Digital full programmer
Automatic ignition
4 wheel guided drawer
3D aesthetic
Metal oven door
Cast iron pan support and burner caps
Metal cladded knobs
Inox handle

FMC66.11

STANDARD FEATURES

60x60 dual fuel cooker
Electric oven
Thermostat in oven
Flat aesthetic
Enamel pan support
Enamel burner caps

OPTIONAL FEATURES

4 gas burners on glass
Digital full programmer
Automatic ignition
4 wheel guided drawer
Full outer glass door with big inner glass





FMC66.22

STANDARD FEATURES

- 60x60 dual fuel cooker
- 2 gas burners + 2 electric hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps

OPTIONAL FEATURES

- Button ignition
- Flap drawer
- Flat aesthetic
- White painted oven door
- Metal lid

FMC66.15

STANDARD FEATURES

- 60x60 dual fuel cooker
- 2 gas burners + 2 Electric Hotplate
- Electric oven
- Thermostat in oven
- Flat aesthetic
- Enamel pan support
- Enamel burner caps
- Metal lid

OPTIONAL FEATURES

- Silver painted
- Stainless steel cooktop
- Button ignition
- Flap drawer
- Silver painted knobs and handle
- Full outer glass door with big inner glass





FMC66.06

STANDARD FEATURES

- 60x60 dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps

OPTIONAL FEATURES

- Glass lid with bumpers
- Combined aesthetic
- Automatic ignition
- Child Lock
- Combined aesthetic
- Full outer glass door with big inner glass

FMC66.17

STANDARD FEATURES

- 60x60 dual fuel cooker
- 3 gas burner + Electric Hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps

OPTIONAL FEATURES

- Rustic design
- 3D aesthetic
- Black painted
- Glass lid with bumpers
- Flap drawer
- Rustic knobs and handle
- Automatic ignition





FMC56.01

STANDARD FEATURES

- 50x60 dual fuel cooker
- 2 gas burners + 2 electric hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps
- Flat aesthetic

OPTIONAL FEATURES

- Stainless steel
- Flap drawer
- Inox painted knobs
- Inox handle
- Serigraphy on the knob ring
- Full outer glass door with big inner glass
- Metal Lid

FMC56.02

STANDARD FEATURES

- 50x60 dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps

OPTIONAL FEATURES

- Black painted
- 3D aesthetic
- Black enamelled cooktop
- Mechanical Timer
- 4 wheel guided drawer
- Black knobs and handle
- Automatic ignition





FMC56.03

STANDARD FEATURES

50x60 dual fuel cooker
 3 gas burners + 1 electric
 hotplate
 Electric oven
 Thermostat in oven
 Enamel pan support
 Enamel burner caps
 Flat aesthetic

OPTIONAL FEATURES

Flap drawer
 Button ignition
 Full outer glass door with big
 inner glass
 Metal lid

FMC56.04

STANDARD FEATURES

50x60 dual fuel cooker
 3 gas burners + 1 electric
 hotplate
 Electric oven
 Thermostat in oven
 Flat aesthetic

OPTIONAL FEATURES

4 wheel guided drawer
 Mat enamel pan support
 Mat enamel burner caps
 Automatic ignition
 Black glass oven door with U
 type white serigraphy
 Full outer glass door with big
 inner glass
 Metal lid





FGC66.07

STANDARD FEATURES

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support
- Enamel burner caps

OPTIONAL FEATURES

- Stainless steel
- Flap drawer
- Flat aesthetic
- Glass lid with metal profile
- Turnspit
- Oven lamp
- Digital clock timer (not programmer)
- Wok burner
- Level aesthetic
- Electric grill
- Metal Cladded Knobs

FGC66.02

STANDARD FEATURES

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support & burner caps

OPTIONAL FEATURES

- Stainless steel
- Glass aesthetic
- Black glass control panel, oven door and drawer cover
- Glass lid with inox profile
- 4 wheel guided drawer
- Inox cladded knobs
- Lamp
- Button ignition
- Inox handle
- Metal Cladded Knobs





FGC66.04

STANDARD FEATURES

60x60 gas cooker
4 gas burners
Gas oven
Gas safety oven
Flame failure device

OPTIONAL FEATURES

Stainless steel
Glass aesthetic
Mirror glass control panel, oven door and drawer cover
Glass lid with inox profile
4 wheel guided drawer
Lamp
Button ignition
Inox painted knobs & handle
Mono stripe type laser-cut inox cladding on oven door
Turnspit
Mat Enamel pan support & burner caps

FGC66.06

STANDARD FEATURES

60x60 gas cooker
4 gas burners
Gas oven
Gas safety oven
Flame failure device
Enamel pan support & burner caps
Flat aesthetic

OPTIONAL FEATURES

Brown painted
Brown enamelled cooktop
Glass lid with brown profile
Flap drawer
Lamp
Button ignition
Digital clock timer (not programmer)
Brown knobs and handle
Turnspit
Full outer glass door with big inner glass





FGC66.01

STANDARD FEATURES

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device

OPTIONAL FEATURES

- Stainless steel
- Edge Aesthetics
- 3D oven door and storage panel
- Metal oven door
- Wok burner
- Lamp
- Button ignition
- Digital clock timer (not programmer)
- Glass lid with inox profile
- Inox clad knobs and inox handle
- 4 wheel guided drawer
- Mat Enamel pan support & burner caps

FGC66.08

STANDARD FEATURES

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support
- Enamel burner caps
- Metal lid

OPTIONAL FEATURES

- Automatic ignition
- Flap drawer
- Flat aesthetic
- White painted oven door





FGC56.01

STANDARD FEATURES

50x60 gas cooker
4 gas burners
Gas oven
Gas safety oven
Flame failure device
Enamel pan support & burner caps
Flat design control panel

OPTIONAL FEATURES

3D aesthetic
Metal oven door
Mechanical minute minder
Glass lid with bumper
Flap drawer
Automatic ignition
Lamp

FGC56.02

STANDARD FEATURES

50x60 gas cooker
4 gas burners
Gas oven
Gas safety oven
Flame failure device
Enamel pan support & burner caps

OPTIONAL FEATURES

Stainless steel
3D aesthetic
Metal oven door
Glass lid with inox profile
Inox painted knobs & handle
4 wheel guided drawer
Button ignition
Lamp





FGC55.02

STANDARD FEATURES

50x50 gas cooker
 4 gas burners
 Gas oven
 Gas safety oven
 Flame failure device
 Enamel pan support &
 burner caps

OPTIONAL FEATURES

3D aesthetic
 Metal oven door
 Flap drawer
 Metal lid

FGC55.03

STANDARD FEATURES

50x50 gas cooker
 4 gas burners
 Gas oven
 Gas safety oven
 Flame failure device
 Enamel pan support &
 burner caps
 Flat aesthetic

OPTIONAL FEATURES

Silver painted
 Silver enamelled cook top
 Glass lid with bumper
 Lamp
 Button ignition
 Mechanical minute minder
 Silver painted knobs and handle
 4 wheel guided drawer
 Full outer glass door with big
 inner glass





FGC55.04

STANDARD FEATURES

50x50 gas cooker
3 gas burners + 1 electric hotplate
Gas oven
Gas safety oven
Flame failure device
Enamel pan support & burner caps
Flat aesthetic

OPTIONAL FEATURES

Black painted
Black enamel cooktop
145mm solid hotplate
Oven door thermostat
Black painted knobs and handle
Flap drawer
Full outer glass door with big inner glass
Metal lid

FGC55.05

STANDARD FEATURES

50x50 gas cooker
4 gas burners
Gas oven
Gas safety oven
Flame failure device
Enamel pan support
Enamel burner caps

OPTIONAL FEATURES

Brown painted
Brown enamelled cooktop
Flat aesthetic
Black painted knobs and handle
Metal lid



Double Ovens





- 1. LID
- 2. TIMER
- 3. CONTROL PANEL
- 4. SIDE PANEL
- 5. HANDLE
- 6. PLINTH
- 7. PAN SUPPOOTS

- 8. COOKTOP
- 9. IGNITION BUTTON
- 10. KNOBS
- 11. TOP OVEN DOOR
- 12. MAIN OVEN DOOR
- 13. FEET

FLAT



3D



FULL FLAT PLUS



FULL FLAT





I type add-on



U type add-on



Mono Stripe add-on



Flat metal oven door
with small glass



Full outer and inner
glass oven door



3D metal oven door
with small glass



3D metal oven door
with big glass





Enamel Mold Runners



Enamel Cavity with Mold Runners



Catalytic Enamel Side Panels




Catalytic Enamel Side and Rear Panels



Wire Rack in Enamel Cavity



Wire Racks in Enamel Cavity



Wire Rack in Catalytic Enamel Cavity



Catalytic Enamel Panel with Side Wire Racks



Single Telescopic Shelf



Double Telescopic Shelves



Full Extension Telescopic Shelf



Double Full Extension Telescopic Shelves



Telescopic



Full Extension Telescopic



Telescopic Shelves Stabilizer



Telescopic Shelves Stabilizer




Metal Lid



Glass Lid with Bumpers



Glass Lid with Metal Profile



Oven Lamp



Glass Lid Shut-Off Valve



Flame Failure Device for Gas Burners



Ignition for Gas Burners



Wok Burner



Rapid Solid Hotplate



Electric Grill



Fan with The Ring for Multifunction Ovens



Gas Grill



Open Flame Burner for Double Oven Cookers



Gas Burner Cover for Double Oven Cookers



Light Button



Ignition Button



Adjustable Feet



Wheels at Rear




Ground Type Anti-Tip Bracket




Wall Type Anti-Tip Bracket



Grey Enamel




Slim Design for Vitroceramic Hobs



Arc Design for Vitroceramic Hobs



Point Design for Vitroceramic Hobs



210 mm Zone for Vitroceramic Hobs



Dual Zone for Vitroceramic Hobs




Vitroceramic Glass Cleaning Spatula




Hot Surface Indicator Light for Vitroceramic Hobs



Hot Surface Indicators for Vitroceramic Hobs



Highlight Heating Element



Radiant Heating Element



Digital Full Programmer



Digital Clock



Mechanical Timer



Digital Touch Full Programmer (Full Flat Plus)



Digital Full Programmer (Full Flat Plus)



Digital Clock (Full Flat Plus)



Mechanical Timer (Full Flat Plus)



Digital Full Programmer (Full Flat)



Digital Clock (Full Flat)



Mechanical Timer (Full Flat)



Enamel Pan Supports



Mat Enamel Pan Supports



Cast Iron Pan Supports



Enamel Burner Caps



Enamel Flat Burner Caps



Mat Enamel Burner Caps



Cast Iron Burner Caps



Cast Iron Wok Adapter



Enamel Wok Adapter (Square)



Enamel Wok Adapter



V Type Enamelled



O Type Enamelled



D Type Enamelled



S Type Enamelled



K Type Enamelled



S Type Enamelled



W Type Cast Iron



Coffee Support



Shallow Tray



Deep Tray



80 mm Deep Tray



Grill Pan Handle Set



Chromed Wire Grid



Chromed Wire Grid for Deep Tray



Glass Tray



Round Tray and Grid Set



DIC66.01

STANDARD FEATURES

- 60 cm twin cavity electric cooker
- Induction cooktop (2x160mm, 2x200mm)
- Thermostat in oven
- 90cm height
- Cooling Fan
- Drop down top oven door and side opening main oven door
- Full Flat design control panel

OPTIONAL FEATURES

- Knob control for induction cooktop
- Stainless steel control panel
- Static top oven and grill
- Multifunction main oven
- Black glass oven door with side stripe inox add-on
- Digital full programmer for main oven
- Lamp
- Full outer glass door with big inner glass

DIC66.02

STANDARD FEATURES

- 60 cm twin cavity electric cooker
- Induction cooktop (2x160mm, 2x200mm)
- Thermostat in oven
- 90cm height
- Cooling Fan
- Drop down top oven door and side opening main oven door
- Full Flat Plus design control panel

OPTIONAL FEATURES

- Touch control for induction cooktop
- Stainless steel control panel
- Static top oven and grill
- Multifunction main oven
- Digital full programmer for main oven
- Lamp
- Full outer glass door with big inner glass



DIC66.03 RUSTIC



STANDARD FEATURES

60 cm twin cavity electric cooker
 Induction cooktop (2x160mm,
 2x200mm)
 Thermostat in oven
 90cm height
 Cooling Fan
 Drop down top oven door and
 side opening main oven door
 Full Flat Plus design control panel

OPTIONAL FEATURES

Touch control for induction
 cooktop
 Black painted
 Static top oven and grill
 Multifunction main oven
 Rustic style knobs and handles
 Lamp
 Full outer glass door with big
 inner glass

DVC66.05

STANDARD FEATURES

60 cm twin cavity electric cooker
 Hot surface indicator light
 Thermostat in oven
 90cm height
 Drop down top oven door and
 side opening main oven door
 Full Flat design control panel

OPTIONAL FEATURES

Vitroceramic cooktop (2x145mm,
 2x180mm)
 Stainless steel control panel
 Static top oven and grill
 Multifunction main oven
 Black glass oven door with U
 type inox add-on
 Digital clock for main oven
 Cooling Fan
 Lamp
 Full outer glass door with big
 inner glass





DVC66.02

STANDARD FEATURES

- 60 cm double oven electric cooker
- Hot surface indicator light
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door

OPTIONAL FEATURES

- Vitroc ceramic cooktop (2x145) (1x180)(1x210)
- Stainless steel
- Static top oven and grill
- Multifunction main oven
- 3D design control panel
- Black glass oven door with side stripe inox add-on
- Digital full programmer for main oven
- Inox cladded knobs
- Full outer glass door with big inner glass

DVC66.03

STANDARD FEATURES

- 60 cm double oven electric cooker
- Hot surface indicator light
- Thermostat in oven
- 90cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

OPTIONAL FEATURES

- Vitroc ceramic cooktop (2x145, 1x180, 1x210)
- Stainless steel control panel
- Static top oven and grill
- Multifunction main oven
- Black glass oven door with side stripe inox add-on
- Lamp
- Full outer glass door with big inner glass





DVC66.01

STANDARD FEATURES

60 cm double oven electric cooker
 Vitroceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Thermostat in oven
 90 cm height
 Drop down top oven door and
 side opening main oven door

OPTIONAL FEATURES

Static top oven and grill
 Multifunction main oven
 3D design control panel
 Black glass oven door with white
 sides
 Digital clock for main oven
 Inox cladded knobs
 Full outer glass door with big
 inner glass

DVC66.04

STANDARD FEATURES

60 cm twin cavity electric cooker
 Hot surface indicator light
 Thermostat in oven
 90cm height
 Drop down top oven door and
 side opening main oven door
 Flat design control panel

OPTIONAL FEATURES

Vitroceramic cooktop (2x145mm,
 2x180mm)
 Black painted
 Static top oven and grill
 Static main oven and grill
 Black glass oven door
 Lamp
 Full outer glass door with big
 inner glass





DVC56.02

STANDARD FEATURES

- 50x60 cm twin cavity electric cooker
- Hot surface indicator light
- Thermostat in oven
- 90cm height
- Drop down top oven door and side opening main oven door
- Full Flat design control panel

OPTIONAL FEATURES

- Vitroc ceramic cooktop (2x145mm, 2x180mm)
- Static top oven and grill
- Static main oven and grill
- Black glass oven door with white side stripe serigraphy
- Cooling Fan
- Lamp
- Full outer glass door with big inner glass

DVC56.03

STANDARD FEATURES

- 50x60 cm twin cavity electric cooker
- Hot surface indicator light
- Thermostat in oven
- 90cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

OPTIONAL FEATURES

- Vitroc ceramic cooktop (2x145mm, 2x180mm)
- Black painted
- Static top oven and grill
- Static main oven and grill
- Black glass oven door
- Lamp





DEC66.01

STANDARD FEATURES

60 cm double oven electric cooker
 4 solid hotplates (2x145)(2x180)
 Thermostat in oven
 90 cm height
 Drop down top oven door and side opening main oven door
 Flat design control panel

OPTIONAL FEATURES

Stainless steel
 1 rapid hotplate
 Static top oven and grill
 Multifunction main oven
 Mechanical timer for main oven
 Black glass oven door with side stripe inox add-on
 Black knobs
 Inox handle
 Full outer glass door with big inner glass

DEC66.02

STANDARD FEATURES

60 cm double oven electric cooker
 4 solid hotplates (2x145)(2x180)
 Thermostat in oven
 90 cm height
 Drop down top oven door and side opening main oven door
 Flat design control panel

OPTIONAL FEATURES

1 rapid hotplate
 Static top oven and grill
 Multifunction main oven
 Black glass oven door with white U-type serigraphy
 Full outer glass door with big inner glass





DEC56.02

STANDARD FEATURES

- 50x60 cm double oven electric cooker
- 4 solid hotplates (2x145, 2x180)
- Thermostat in oven
- 90cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

OPTIONAL FEATURES

- Stainless steel control panel
- Static top oven and grill
- Static main oven and grill
- Black glass oven door with side stripe inox add-on
- Lamp
- Full outer glass door with big inner glass

DEC56.01

STANDARD FEATURES

- 50x60 cm double oven electric cooker
- 4 solid hotplates (2x145)(2x180)
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

OPTIONAL FEATURES

- White painted
- Static top oven and grill
- Static main oven and grill
- Mechanical timer
- Metal oven door with small inner and outer glass
- Lamp
- Full outer glass door with big inner glass





DMC66.05

STANDARD FEATURES

60 cm twin cavity dual fuel cooker
4 gas burners
Electric oven
Thermostat in oven
90cm height
Enamel pan supports & burner caps
Drop down top oven door and side opening main oven door
Full Flat design control panel

OPTIONAL FEATURES

Black painted
Static top oven and grill
Multifunction main oven
Black glass oven door
Glass lid with bumpers
Digital full programmer for main oven
Lamp
Full outer glass door with big inner glass

DMC66.01

STANDARD FEATURES

60 cm double oven dual fuel cooker
3 gas burners + electric hotplate
Enamel pan supports & burner caps
90 cm height
Drop down top oven door and side opening main oven door
Thermostat in oven

OPTIONAL FEATURES

Static top oven and grill
Multifunction main oven
3D design
Big glass oven door
Mechanical timer for main oven
Inox knobs & handle
Metal lid
Black glass oven door with side stripe inox add-o
Full outer glass door with big inner glass





DMC66.02

STANDARD FEATURES

- 60 cm double oven dual fuel cooker
- 3 gas burners + electric hotplate
- Enamel pan supports & burner caps
- Drop down top oven door and main oven door
- Thermostat in oven

OPTIONAL FEATURES

- Static top oven and grill
- Multifunction main oven
- 3D design
- Silver painted metal oven door
- Digital full programmer for main oven
- Inox clad knobs
- Metal lid

DMC66.03 RUSTIC

STANDARD FEATURES

- 60 cm double oven dual fuel cooker
- 4 gas burners
- Enamel pan supports & burner caps
- Drop down top oven door and main oven door
- Thermostat in oven

OPTIONAL FEATURES

- Static top oven and grill
- Rustic style knobs and handles
- 3D design
- Black painted
- Silver painted metal oven door
- Mechanical timer for main oven



*available only as twin cavity (only grill function in top cavity)



DMC66.04

STANDARD FEATURES

60 cm double oven dual fuel cooker
 4 gas burners
 Electric oven
 Thermostat in oven
 85cm height
 Drop down top oven door and main oven door
 Enamel pan supports & burner caps
 3D design control panel

OPTIONAL FEATURES

White painted
 Static top oven and grill
 Multifunction main oven
 Mechanical timer
 Glass lid with bumpers
 Metal oven door with big outer glass
 Lamp

DMC66.06

STANDARD FEATURES

60 cm twin cavity dual fuel cooker
 4 gas burners
 Wok burner
 Electric oven
 Thermostat in oven
 90cm height
 Enamel pan supports & burner caps
 Drop down top oven door and side opening main oven door
 Full Flat Plus design control panel

OPTIONAL FEATURES

Stainless steel control panel
 Static top oven and grill
 Multifunction main oven
 Black glass oven door
 Glass lid with profile
 Digital full programmer for main oven
 Button ignition
 Lamp
 Full outer glass door with big inner glass



DMC56.01



STANDARD FEATURES

- 50x60 cm double oven dual fuel cooker
- 4 gas burners
- Enamel pan supports & burner caps
- 90 cm height
- Drop down top oven door and side opening main oven door
- Thermostat in oven
- Flat design control panel

OPTIONAL FEATURES

- Static top oven and grill
- Multifunction main oven
- Black glass oven door with white side stripe serigraphy
- Full outer glass door with big inner glass

DMC56.02

STANDARD FEATURES

- 50x60 cm double oven dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- 90cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

OPTIONAL FEATURES

- Black painted
- Static top oven and grill
- Multifunction main oven
- Black glass oven door
- Lamp
- Full outer glass door with big inner glass



DGC66.05



STANDARD FEATURES

60 cm twin cavity gas cooker
 4 gas burners
 Open flame burner in main oven
 Enamel pan supports & burner caps
 90cm height
 Drop down top oven door and side opening main oven door
 Full Flat Plus design control panel

OPTIONAL FEATURES

Button ignition
 Variable gas grill and open flame burner in top oven
 Black glass oven door with white side stripe serigraphy
 Lamp
 Full outer glass door with big inner glass

DGC66.04 RUSTIC

STANDARD FEATURES

60cm twin cavity gas cooker
 4 gas burners
 Open flame burner in main oven
 Cast iron pan supports & burner caps
 90cm height
 Drop down top oven door and side opening main oven door
 3D design control panel

OPTIONAL FEATURES

Cream painted
 Rustic style knobs and handles
 Button ignition
 Variable gas grill and open flame burner in top oven
 Digital clock for main oven
 Metal oven door with small inner and outer glass
 Lamp





DGC66.01

STANDARD FEATURES

- 60 cm double oven gas cooker
- 4 gas burners
- Enamel pan supports & burner caps
- Open flame burner in main oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Black painted knobs
- Flat design control panel

OPTIONAL FEATURES

- Button ignition
- Glass lid with black profile
- Variable gas grill and open flame burner in top oven
- Anthracite painted
- Black glass oven door with anthracite side stripe serigraphy
- Digital clock for main oven
- Thermostat in top and main oven
- Full outer glass door with big inner glass

DGC66.03

STANDARD FEATURES

- 60 cm double oven gas cooker
- 4 gas burners
- Open flame burner in main oven
- Enamel pan supports & burner caps
- 90cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

OPTIONAL FEATURES

- White painted
- Button ignition
- Variable gas grill and open flame burner in top oven
- Digital clock for main oven
- Metal oven door with small inner and outer glass
- Lamp





DGC56.04

STANDARD FEATURES

50x60 cm twin cavity gas cooker
 4 gas burners
 Open flame burner in main oven
 Enamel pan supports & burner caps
 90cm height
 Drop down top oven door and side opening main oven door
 Full Flat Plus design control panel

OPTIONAL FEATURES

Button ignition
 Variable gas grill and open flame burner in top oven
 Black glass oven door
 Lamp
 Full outer glass door with big inner glass

DGC56.03

STANDARD FEATURES

50x60 cm double oven gas cooker
 4 gas burners
 Open flame burner in main oven
 Enamel pan supports & burner caps
 90cm height
 Drop down top oven door and side opening main oven door
 Flat design control panel

OPTIONAL FEATURES

White painted
 Button ignition
 Variable gas grill and open flame burner in top oven
 Digital clock for main oven
 Metal oven door with small inner and outer glass
 Lamp





DGC56.01

STANDARD FEATURES

- 50x60 cm double oven gas cooker
- 4 gas burners
- Enamel pan supports & burner caps
- Open flame burner in main oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

OPTIONAL FEATURES

- Button ignition
- Variable gas grill and open flame burner in top oven
- Black glass oven door with white side stripe serigraphy
- Thermostat in top and main oven
- Metal oven door
- Inox knobs

*available only as twin cavity (only grill function in top cavity)

DGC56.05

STANDARD FEATURES

- 50x60 cm twin cavity gas cooker
- 4 gas burners
- Open flame burner in main oven
- Enamel pan supports & burner caps
- 90cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

OPTIONAL FEATURES

- Battery ignition
- Variable gas grill and open flame burner in top oven
- Black glass oven door
- Silver painted knobs and handles
- Glass lid with bumpers



90x60 Freestanding Cookers





- 1. LID
- 2. TIMER
- 3. IGNITION BUTTON
- 4. SIDE PANEL
- 5. OVEN DOOR
- 6. DRAWER
- 7. PAN SUPPOOTS

- 8. COOKTOP
- 9. CONTROL PANEL
- 10. KNOBS
- 11. HANDLES
- 12. BOTTLE COMPARTMENT DOOR
- 13. FEET

Standard
Flat Look



Standard
3D Look



Professional
Look



Professional
Glass Look





Type 8



Type 8 Bottle Compartment



Type 9



Type 9 BC



U Type



I Type



Mono Stripe



Enamel Cavity with Mold Runners



Enamel Cavity with Wire Racks



Catalytic Enamel Side and Rear Panel



Catalytic Enamel Panel with Side Wire Racks



Wire Racks with Single Telescopic Shelf



Wire Racks with Double Telescopic Shelves



Wire Racks with Single Full Extension Telescopic Shelf



Electric Multi-Function Oven Cavity Double Fan Assisted



Electric Oven Cavity Double Fan Assisted



Electric Standard Oven Cavity Static



Bottle Compartment Gas Oven Cavity



Fan-Assisted Gas Oven Cavity



Electric Cooker Lamps



Gas Cooker Lamps



Standart Compartment Door



Full Compartment Door



Inox Bottle Compartment Door



Standard Bottom Support Sheet



Tube Holder Sheet Cover



Tube Holder Wire

TIMER TYPES



Digital Full Programmer



Digital Touch Timer



Digital Clock and Minute Minder



Mechanical Timer



Minute Minder



Glass Lid with Metal Profile



Glass Lid with Bumpers



Kickplate



Splashback




Splash Back




Adjustable Feet




Flap Drawer



Slim Design for Vitroceramic Cookers



Arc Design for Vitroceramic Cookers



Point Design for Vitroceramic Cookers




Slim Design (for Induction Cookers)




210 mm Zone for Vitroceramic Cookers



Dual Zone for Vitroceramic Cookers



Highlight Heating Element



Induction Touch Control Panel



Cast Iron Pan Supports



Mat Enamel Pan Supports



Enamel Pan Supports



Enamel Burner Caps



Enamel Flat Burner Caps



Mat Enamel Burner Caps



Cast Iron Burner Caps



Cast Iron Wok Adapter



Enamel Wok Adapter (Square)



Enamel Wok Adapter



Flame Failure Device for Gas Burners



Ignition for Gas Burners



Fish Burner



Wok Burner



Rapid Solid Hotplate



Vitroc ceramic Glass Cleaning Spatula



Enameled S Type



Enameled E Type



Cast Iron T Type



Cast Iron S Type



Grid



Baking (Shallow) Tray



Roasting (Deep) Tray



Deep Tray Grid



Small Tray



Grill Pan with Handle Set



Turnspit Set



FIC90.03

STANDARD FEATURES

- 90x60 induction cooker
- Standard 3D aesthetic
- Induction cooktop (2x160, 2x200, 1x250)
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless steel
- Knob control for induction cooktop
- Digital full programmer
- Mono stripe 100mm laser cut inox add-on
- Flap drawer
- Inox painted feet

FIC90.02

STANDARD FEATURES

- 90x60 Induction cooker
- Standard flat aesthetic
- Touch control
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless steel
- Induction cooktop (2x160, 2x200, 1x250)
- Mechanical timer
- Flap drawer
- Splashback
- U type laser cut inox cladding on oven door
- Inox painted knobs
- Inox handle
- Lamp & turnspit





FIC90.01

STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 4 gas burners
- 2 induction zones (1x200mm, 1x160mm)
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless Steel
- Inox handle
- Inox painted knobs
- Cast iron burner caps & pan supports
- Flap drawer
- Side stripe laser-cut inox cladding on oven door
- Automatic ignition
- Splash back
- Lamp

FVC90.02

STANDARD FEATURES

- 90x60 vitroceramic cooker
- Standard flat aesthetic
- Hot surface indicator light
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless steel
- Vitroceramic cooktop (2x145 (1x180)(1x210 dual)(1xoval ceran)
- Digital full programmer
- Flap drawer
- Splash back
- Double fan assisted oven
- Inox painted knobs
- Inox handle
- Lamp





FMC90.09

STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 4 gas burners + 2 solid hotplates (1x145, 1x180)
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless steel
- Enamel burner caps & pan supports
- Mechanical timer
- Flap drawer
- Glass lid with bumpers
- Auto ignition
- Inox painted knobs
- Inox handle
- Lamp & turnspit

FMC90.04

STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 4 gas burners + 2 solid hotplates (1x145mm, 1x180mm)
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Cast iron pan supports & burner caps
- Stainless Steel
- Mechanical timer
- Flap drawer
- Splash back
- Auto ignition
- Lamp
- Turnspit
- Inox handle
- Inox painted feet
- Inox painted knobs





FMC90.08

STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 4 gas burners + 2 solid hotplates (1x145, 1x180)
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Cream painted
- Cast iron pan supports & burner caps
- Mechanical timer
- Flap drawer
- Splashback
- Auto ignition
- Rustic knobs & handle
- Black painted cooktop
- Lamp & turnspit

FMC90.01

STANDARD FEATURES

- 90x60 dual fuel cooker
- 5 gas burners
- Electric oven
- Thermostat in oven
- Enamelled pan supports
- Enamelled burner caps

OPTIONAL FEATURES

- Stainless steel
- Glass lid with inox profile
- Wok burner
- Flap drawer
- Inox painted knobs
- Inox handle
- Inox painted feet
- Mono stripe 100mm laser-cut inox cladding on oven door
- Button ignition
- Lamp
- 3D aesthetics





FMC90.05

STANDARD FEATURES

- 90x60 dual fuel cooker
- 5 gas burners
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Stainless steel
- Professional aesthetic
- Cast iron burner caps & pan supports
- Wok burner
- Flap drawer
- Inox painted feet
- Inox painted knobs
- Inox handle
- Mechanical timer
- Splash back
- Mono stripe 100mm laser-cut inox cladding on oven door
- Lamp

FMC90.06

STANDARD FEATURES

- 90x60 dual fuel cooker
- 5 gas burners
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Professional aesthetic
- Cream painted
- Cast iron burner caps & pan supports
- Wok burner
- Flap Drawer
- Rustic knobs & handle
- Mechanical Timer
- Splash back
- Side stripe laser-cut painted cladding on oven door
- Lamp
- Inox cooktop





FMC90.07

STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 5 gas burners
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- Anthracite painted
- Cast iron burner caps & pan supports
- Wok burner
- Flap Drawer
- Digital full programmer timer
- Splash back
- Lamp
- Button ignition
- Turnspit

FMC90.10

STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 4 gas burners + 2 solid hotplate (1x145mm, 1x180mm)
- Electric oven
- Thermostat in oven
- Enamel burner caps and pan support

OPTIONAL FEATURES

- Full door bottle compartment
- Enamel burner caps and pan support
- Glass lid with bumpers
- Flap drawer
- Mechanical timer
- Button ignition
- Black glass oven door support





FMC90.02

STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 5 gas burners
- Electric oven
- Thermostat in oven
- Enamel pan supports
- Enamel burner caps

OPTIONAL FEATURES

- Digital clock
- Wok burner
- Flap drawer
- Glass lid with bumpers
- Button ignition
- Lamp
- Turnspit

FGC90.07

STANDARD FEATURES

- 90x60 gas cooker
- 5 gas burners
- Gas oven
- Gas safety oven

OPTIONAL FEATURES

- Professional aesthetic
- Glass front face
- Flap drawer
- Digital clock
- Splash back
- Cast iron pan supports & burner caps
- Inox cooktop and side panel
- Lamp
- Turnspit
- Button ignition





FGC90.06

STANDARD FEATURES

- 90x60 gas cooker
- 5 gas burners
- Gas oven
- Gas safety oven

OPTIONAL FEATURES

- Professional aesthetic
- Stainless steel
- Mechanical minute minder
- Cast iron pan supports & burner caps
- Wok burner
- Flap drawer
- Inox painted knobs
- Inox handle
- Splash back
- Auto ignition
- Separate knob control gas oven and gas grill
- Lamp
- Turnspit

FGC90.01

STANDARD FEATURES

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Gas oven
- Gas safety oven

OPTIONAL FEATURES

- Stainless steel
- Mechanical minute minder
- Cast iron pan supports & burner caps
- Wok burner
- Flap drawer
- Inox painted knobs
- Inox handle
- Splash back
- U type laser-cut inox cladding on oven door
- Electrical grill
- Inox painted feet
- Auto ignition
- Lamp
- Turnspit





FGC90.14

STANDARD FEATURES

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Gas oven
- Gas safety oven

OPTIONAL FEATURES

- Stainless steel
- Cast iron burner caps and pan supports
- Wok burner
- Flap drawer
- Spalsh back
- Digital clock
- Inox painted feet
- Button ignition
- Lamp

FGC90.13

STANDARD FEATURES

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Gas oven
- Gas safety oven

OPTIONAL FEATURES

- White painted
- Enamel burner caps& pan supports
- Glass lid with bumpers
- Auto ignition
- White painted knobs
- White painted handle





FGC90.10

STANDARD FEATURES

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Gas oven
- Gas safety oven
- Enamel burner caps & pan supports

OPTIONAL FEATURES

- Flap Drawer
- Mechanical Timer
- Button ignition
- Turnspit
- Lamp
- Wok burner
- Glass lid with profile

FGC90.12

STANDARD FEATURES

- 90x60 gas cooker
- 5 gas burners
- Gas oven
- Gas safety oven

OPTIONAL FEATURES

- Professional aesthetic
- Red painted
- Wok burner
- Cast iron burner caps & pan supports
- Flap drawer
- Rustic knobs & handle
- Splash back
- Side stripe laser-cut painted cladding on oven door
- Automatic ignition
- Turnspit
- Lamp
- Inox cooktop





FGC90.11

STANDARD FEATURES

- 90x60 gas cooker
- 5 gas burners
- Gas oven
- Gas safety oven

OPTIONAL FEATURES

- Professional aesthetic
- Blue painted
- Wok burner
- Cast iron burner caps & pan supports
- Flap drawer
- Rustic knobs
- Inox handle
- Splash back
- Side stripe laser-cut painted cladding on oven door
- Automatic ignition
- Turnspit
- Lamp
- Inox cooktop

FGC90.02

STANDARD FEATURES

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Gas oven & gas safety oven
- Enamelled pan supports
- Enamelled burner caps

OPTIONAL FEATURES

- Stainless steel
- Wok burner
- Flap drawer
- Inox painted knobs & feets
- Inox handles
- Full door bottle compartment
- Electrical grill
- Glass lid with bumpers





FGC90.09

STANDARD FEATURES

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Gas oven
- Electric grill
- Gas safety oven

OPTIONAL FEATURES

- Stainless steel
- Half door bottle compartment
- Wok burner
- Glass lid with inox profile
- Flap drawer
- Cast iron pan supports & burner caps
- Button ignition

FGC90.03

STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 5 gas burners
- Electric oven
- Thermostat in oven

OPTIONAL FEATURES

- White painted
- Full door bottle compartment
- Mechanical timer
- Glass lid with white painted profile
- Flap drawer
- Enamel burner caps & pan supports
- Auto ignition
- Lamp





FGC90.05

STANDARD FEATURES

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Enamel burner caps & pan supports
- Gas oven
- Gas safety oven

OPTIONAL FEATURES

- Brown painted
- Wok burner
- Wok adaptor
- Flap drawer
- Black knobs
- Black painted handles
- Full door bottle compartment
- Glass lid with bumpers
- Auto ignition

FGC90.08

STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 5 gas burners
- Electric oven
- Thermostat in oven
- Enamel burner caps & pan supports

OPTIONAL FEATURES

- Terre de France Painted
- Flap Drawer
- Full door bottle compartment
- Mechanical timer





FGC90.04

STANDARD FEATURES

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Gas oven
- Gas safety oven
- Enamel burner caps & pan supports

OPTIONAL FEATURES

- Full door bottle compartment
- Flap Drawer
- White painted oven door glass

FREESTANDING COOKERS SPECIFICATION SHEET	Gas Cooker					Electric Cooker with Solid Hotplates			
	90x60	90x60 BC	60x60	50x60	50x50	60x60	50x60	50x50	
Available Colours									
White	Default	Default	Default	Default	Default	Default	Default	Default	
Brown	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Terra de France	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Black	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Dark Green	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Silver	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Inox painted	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Stainless Steel	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Anthracite***	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Nominal Dimensions									
Height (Adjustable Feet max. +3 cm)	cm	85/90	85/90	85/90	85/90	85/90	85/90	85/90	
Width	cm	90	90	60	50	50	60	50	
Depth	cm	60	60	60	60	50	60	50	
Hob Features									
Hob		Enamel	Enamel	Enamel	Enamel	Enamel	Enamel	Enamel	
Gas on Glass Hob		Optional	Optional	Optional	-	-	-	-	
Gas-Hotplate Hob Configuration		Optional	Optional	Optional	-	-	-	-	
Rapid Gas Burner Ø10cm	W	2900	2900	3000	3000	3000	-	-	
Semi-rapid Gas Burner Ø7.5cm	W	1650	1650	1750	1750	1750	-	-	
Auxiliary Gas Burner Ø5.5cm	W	900	900	1000	1000	1000	-	-	
Wok (Triple Flame) Gas Burner Ø14cm	W	3600	3600	3800	-	-	-	-	
Fish Burner	W	2800	2800	-	-	-	-	-	
Ø 80 mm Hotplate	W	-	-	-	-	-	450	450	
Ø 145 mm Hotplate	W	1000	1000	1000	1000	1000	1000	1000	
Ø 180 mm Hotplate	W	1500	1500	1500	1500	1500	1500	1500	
Ø 220 mm Hotplate	W	-	-	-	-	-	2000	2000	
Ø 145 mm Rapid Hotplate	W	1500	1500	1500	1500	1500	1500	1500	
Ø 180 mm Rapid Hotplate	W	2000	2000	2000	2000	2000	2000	2000	
Ø145 mm Radiant Element	W	-	-	-	-	-	-	-	
Ø180 mm Radiant Element	W	-	-	-	-	-	-	-	
Ø210 mm Radiant Element	W	-	-	-	-	-	-	-	
Ø145 mm Highlite Element	W	-	-	-	-	-	-	-	
Ø180 mm Highlite Element	W	-	-	-	-	-	-	-	
Ø210 mm Highlite Element	W	-	-	-	-	-	-	-	
Ø180 mm Dual Highlite Element	W	-	-	-	-	-	-	-	
Oval Highlite Element	W	-	-	-	-	-	-	-	
Ø210 mm Dual Highlite Element	W	-	-	-	-	-	-	-	
Ø160 mm Induction Hob (Boost)	W	-	-	-	-	-	-	-	
Ø200 mm Induction Hob (Boost)	W	-	-	-	-	-	-	-	
Ø250 mm Induction Hob (Boost)	W	-	-	-	-	-	-	-	
Touch Control		-	-	-	-	-	-	-	
Knob Control		-	-	-	-	-	-	-	
Slider Touch Control		-	-	-	-	-	-	-	
Hob Timer (Touch Control/Knob Control)		-	-	-	-	-	-	-	
Hot Surface Indicator Light		-	-	-	-	-	-	-	
Hotplate Operation Indicator Light		-	-	-	-	-	Default	Default	
Thermostat Operation Indicator Light		-	-	-	-	-	Default	Default	
Stainless Steel Burner Pan (in case of gas on glass hob)		Optional	Optional	Optional	-	-	-	-	
Metal Lid		-	-	Default	Default	Default	Optional	Optional	
Glass Lid		Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Splashback		Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Burner Safety Valves		Optional	Optional	Optional	Optional	Optional	-	-	
Button Ignition		Optional	Optional	Optional	Optional	Optional	-	-	
One-touch-Ignition through knobs		Optional	Optional	Optional	Optional	Optional	-	-	
Battery Ignition		-	-	Optional	Optional	-	-	-	
Enamel Pan Supports		Default	Default	Default	Default	Default	-	-	
Cast Iron Pan Supports		Optional	Optional	Optional	-	-	-	-	
Cast Iron Burner Caps		Optional	Optional	Optional	Optional	Optional	-	-	
Coffee Adaptor		Optional	Optional	Optional	Optional	Optional	-	-	
Wok Adaptor		Optional	Optional	Optional	-	-	-	-	
Vitroceraamic Glass Cleaning Spatula		-	-	-	-	-	-	-	
Gas Conversion Kit		Optional	Optional	Optional	Optional	Optional	-	-	
Oven Features									
Oven Type		Gas	Gas	Gas	Gas	Gas	Electric	Electric	
Oven Volume, Depends on Model (min/max)	lt	90/120	52/73	52/73	45/63	48/55	56/76	48/58	
Cavity Dimensions, Depends on Model (min/max) (WxHxD)	mm	700x318x404 725x367x452	430x310x388 455x366x437	430x310x388 455x366x437	370x310x391 395x360x441	370x310x414 395x328x426	430x335x391 475x452x352	370x335x391 395x441x335	
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Easy to Clean Enamel		Default	Default	Default	Default	Default	Default	Default	
Catalytic Panels (Left, right and rear)		Optional	Optional	Optional	Optional	Optional (2P)	Optional	Optional	
Wire Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Wire Racks with Half Telescopic Rails (1 or 2)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Wire Racks with Full Telescopic Rails (1 or 2)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Electric Oven Functions		-	-	-	-	-	Up to 9	Up to 9	
Top Heating Element	W	-	-	-	-	-	1200	1000	
Bottom Heating Element	W	-	-	-	-	-	1100	1000	
Thermostat		Optional	Optional	Optional	Optional	Optional	Default	Default	
Oven Safety		Default	Default	Default	Default	Default	-	-	
Oven Burner (Thermostat Controlled)	W	4200	2800	2800	2800	2100	-	-	
Electric Single Grill	W	1800	1400	1400	1600	1600	1400	1600	
Gas Grill	W	3100	2100	2200	2200	2000	-	-	
Electric Double Grill	W	-	-	-	-	-	1400 - 2600	1600 - 2600	
Fan	W	23-35	-	23-35	23-35	-	23-35	-	
Double Fan	W	-	-	-	-	-	-	-	
Fan with Ring Heating Element	W	-	-	-	-	-	2000	2000	
Double Fan with Double Ring Heating Element	W	-	-	-	-	-	-	-	
Turnspit		Optional	Optional	Optional	Optional	-	Optional	Optional	
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Mechanical Timer		-	-	-	-	-	Optional	Optional	
Digital Clock		Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Digital Programmer		-	-	-	-	-	Optional	Optional	
Baking Tray (Shallow Tray)		1	1	Optional	Optional	Optional	Optional	Optional	

SPECIFICATIONS

FREESTANDING COOKERS SPECIFICATION SHEET	Gas Cooker					Electric Cooker with Solid Hotplates			
	90x60	90x60 BC	60x60	50x60	50x50	60x60	50x60	50x50	
Oven Features									
Glass Tray	-	Optional	Optional	-	-	Optional	-	-	
Roasting Tray (Deep Tray)	Optional	Optional	1	1	1	1	1	1	
Chromed Grid with Stoper	1	1	1	1	1	1	1	1	
Inner Grid for Deep Tray	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Grill Pan with Handle Set	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Flap Drawer at the Bottom	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
4WG Warmer Drawer at the Bottom	-	-	Optional	Optional	Optional	Optional	Optional	Optional	
Full Outer Glass and Small Inner Glass Metal Door	Default	Default	Default	Default	Default	Default	Default	Default	
Inclined Solid Oven Door	-	-	Optional	Optional	Optional	Optional	Optional	Optional	
Full Outer Glass and Big Inner Glass Door	Optional	Optional	Optional	Optional	-	Optional	Optional	Optional	
Removable Inner Glass (only for flat glass door)	Optional	Optional	Optional	Optional	-	Optional	Optional	Optional	
Full Inner Glass Door**	-	-	-	-	-	optional	-	-	
Cool Touch Oven Door	-	-	Optional	Optional	-	Optional	Optional	-	
Floatal Oven Door Glass	Optional	Optional	Optional	Optional	-	Optional	Optional	Optional	
Removable Oven Door	Default	Default	Default	Default	Default	Default	Default	Default	
Add-on Stripes on Oven Door	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Glass Application on Control Panel	Optional	-	Optional	-	-	Optional	-	-	
Glass Application on Drawer Cover	Optional	-	Optional	-	-	Optional	-	-	
Child Lock on Oven Door	-	-	Optional	Optional	Optional	Optional	Optional	Optional	
Tip over Bracket	Optional	Optional	Default	Default	Default	Default	Default	Default	
Shabat Function	-	-	-	-	-	Optional	-	-	
Cooling Fan	Optional	Optional	Optional	Optional	-	Optional	Optional	-	
Other Features									
Total Power (Depends on Model) Maximum Gas/Electric	kW	14,9/5,4	14,9/5	11,1/4,9	10,3/4,5	9,4/2,5	_/10,1	_/10,0	_/9,6
Voltage	V	230V	230V	230V	230V	230V	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~
Energy consumption according to the EN60335 Standarts	kWh	-	-	-	-	-	0.79 - 0.90	0.79 - 0.89	0.79 - 0.85
Energy rating		B	A	A	A	A	A/B	A/B	A/B
Cavity Insulation		Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White
Pop-in Pop-out Knob		-	-	-	-	-	Optional	Optional	Optional
Bottle Compartment		Optional	Optional	-	-	-	-	-	-
Serigraphy on Knob		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
RoHS Compliance		Default	Default	Default	Default	Default	Default	Default	Default
CE Compliance		Default	Default	Default	Default	Default	Default	Default	Default
Height with Lid Open (85 cm / 90 cm)	cm	145 / 150	145 / 150	145 / 150	145 / 150	135 / 140	145 / 150	145 / 150	145 / 150
Depth with Door Open	cm	105 / 106	105 / 106	105 / 106	105 / 106	95	105 / 106	105 / 106	100
Carton Box Packaging		Default	Default	Optional	Optional	Optional	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	mm	950x680x860	950x680x860	645x684x922 645x684 x977	545x684x919 545x684x 974	545x586x912 545x586x967	645x684x922 645x684x977	545x684x919 545x684x974	545x586x912 545x586x967
Net Weight (Depends on Model) Maximum	kg	74	74	43	40	36	46	43	42
Gross Weight (Depends on Model) Maximum	kg	77	77	46,5	43,2	39	49,5	46,2	45
Container Loading Quantity* (20 ft Container)	pcs	40	40	48	68	80	48	68	80
Container Loading Quantity* (40 ft Container)	pcs	82	82	108	144	168	108	144	168
Container Loading Quantity* (40 ft HC Container)	pcs	123	123	108	144	168	108	144	168

SPECIFICATIONS

FREESTANDING COOKERS SPECIFICATION SHEET	Electric Cooker with Ceramic Glass				Electric Cooker with Induction		Mixed (Duel Fuel) Cooker					
	90x60	60x60	50x60	50x50	90x60	60x60	90x60	90x60 BC	60x60	50x60	50x50	
Oven Features												
Turnspit	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	-
Mechanical Minute Minder	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Clock	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Baking Tray (Shallow Tray)	1	Optional	Optional	Optional	Optional	Optional	Optional	1	1	Optional	Optional	Optional
Glass Tray	-	Optional	-	-	-	-	Optional	-	Optional	Optional	-	-
Roasting Tray (Deep Tray)	Optional	1	1	1	1	1	Optional	Optional	1	1	1	1
Chromed Grid with Stoper	1	1	1	1	1	1	1	1	1	1	1	1
Inner Grid for Deep Tray	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Grill Pan with Handle Set	Optional	Optional	Optional	Optional	Default	Default	Optional	Optional	Optional	Optional	Optional	Optional
Flap Drawer at the Bottom	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
4WG Warmer Drawer at the Bottom	Optional	Optional	Optional	Optional	-	Optional	-	-	Optional	Optional	Optional	Optional
Full Outer Glass and Small Inner Glass Metal Door	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Inclined Solid Oven Door	-	Optional	Optional	Optional	-	Optional	-	-	Optional	Optional	Optional	-
Full Outer Glass and Big Inner Glass Door	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Default
Removable Inner Glass (only for flat glass door)	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Full Inner Glass Door**	-	-	Optional	-	-	0	-	-	Optional	-	-	-
Cool Touch Oven Door	-	Optional	Optional	-	-	Optional	-	-	Optional	Optional	-	-
Floating Oven Door Glass	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Removable Oven Door	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Add-on Stripes on Oven Door	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Glass Application on Control Panel	Optional	Optional	-	-	Optional	Optional	Optional	-	Optional	-	-	-
Glass Application on Drawer Cover	Optional	Optional	-	-	Optional	Optional	Optional	-	Optional	-	-	-
Child Lock on Oven Door	-	Optional	Optional	Optional	-	Optional	-	-	Optional	Optional	Optional	Optional
Tip over Bracket	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Shabat Function	-	Optional	-	-	-	Optional	-	-	Optional	-	-	-
Cooling Fan	Optional	Optional	Optional	-	Default	Default	-	-	-	-	-	-
Other Features												
Total Power (Depends on Model) Maximum Gas/Electric	kW	_/11,2	_/11,4	_/9,6	_/8,0	??	_/10,5	11,1/6,6	11,1/6,2	8,3/6,6	7,5/6,1	7,3/4,1
Voltage	v	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V	230V	230V	230V	230V
Energy consumption according to the EN60335 Standarts	kWh	0,98 - 1,18	0,79 - 0,90	0,79 - 0,89	0,79 - 0,85	0,98 - 1,18	0,79 - 0,90	0,98 - 1,18	0,98 - 1,18	0,79 - 0,90	0,79 - 0,89	0,79 - 0,85
Energy rating		A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B
Cavity Insulation		Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White
Pop-in Pop-out Knob		Optional	Optional	Optional	Optional	Optional	Optional	-	-	-	-	-
Bottle Compartment		-	-	-	-	-	-	Optional	Optional	-	-	-
Serigraphy on Knob		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
RoHS Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
CE Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Height with Lid Open (85 cm / 90 cm)	cm	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150
Depth with Door Open	cm	105 / 106	105 / 106	105 / 106	100	105 / 106	105 / 106	105 / 106	105 / 106	105 / 106	105 / 106	95
Carton Box Packaging		Default	Optional	Optional	Optional	Default	Optional	Default	Default	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	mm	950x680x860	645x684x922 645x684x977	545x684x919 545x684x974	545x586x912 545x586x967	950x680x860	645x684x922 645x684x977	950x680x860	950x680x860	645x684x922 645x684x977	545x684x919 545x684x974	545x586x912 545x586x967
Net Weight (Depends on Model) Maximum	kg	74	45	42	41	86,5	54,8	74	74	45	42	39
Gross Weight (Depends on Model) Maximum	kg	77	48,5	45,2	44	89,5	58,1	77	77	48,5	45,2	43
Container Loading Quantity* (20 ft Container)	pcs	40	48	68	80	40	48	40	40	48	68	80
Container Loading Quantity* (40 ft Container)	pcs	82	108	144	168	82	108	82	82	108	144	168
Container Loading Quantity* (40 ft HC Container)	pcs	123	108	144	168	123	108	123	123	108	144	168

DOUBLE OVEN SPECIFICATION SHEET	Gas DO		Electric DO with Solid Hotplates Hob		Electric DO with Ceramic Glass Hob		Electric DO with Induction Hob	Mixed (Duel Fuel) DO		
	60x60	50x60	60x60	50x60	60x60	50x60	60x60****	60x60	50x60	
Available Colours										
White		Default	Default	Default	Default	Default	Default	Default	Default	Default
Brown		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Terra de France		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Black		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Dark Green		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Silver		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Inox painted		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Stainless Steel		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Anthracite***		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Nominal Dimensions										
Height (Adjustable Feet max. +3 cm)	cm	90	90	85*/90	90	85*/90	90	85*/90	85*/90	90
Width	cm	60	50	60	50	60	60	60	60	50
Depth	cm	60	60	60	60	60	60	60	60	60
Hob Features										
Hob		Enamel	Enamel	Enamel	Enamel	Vitroceraimic	Vitroceraimic	Induction	Enamel	Enamel
Gas on Glass Hob		Optional	-	-	-	-	-	-	-	-
Rapid Gas Burner Ø10cm	W	3000	3000	-	-	-	-	-	3000	3000
Semi-rapid Gas Burner Ø7.5cm	W	1750	1750	-	-	-	-	-	1750	1750
Auxiliary Gas Burner Ø5.5cm	W	1000	1000	-	-	-	-	-	1000	1000
Wok (Triple Flame) Gas Burner Ø14cm	W	3800	-	-	-	-	-	-	3800	-
Ø 80 mm Hotplate	W	-	-	-	-	-	-	-	-	-
Ø 145 mm Hotplate	W	-	-	1000	1000	-	-	-	-	-
Ø 180 mm Hotplate	W	1500	1500	1500	1500	-	-	-	1500	1500
Ø 220 mm Hotplate	W	-	-	-	-	-	-	-	-	-
Ø 145 mm Rapid Hotplate	W	-	-	1500	1500	-	-	-	-	-
Ø 180 mm Rapid Hotplate	W	2000	2000	2000	2000	-	-	-	2000	2000
Ø 220 mm Rapid Hotplate	W	-	-	-	-	-	-	-	-	-
Ø145 mm Highlite Element	W	-	-	-	-	1200	1200	-	-	-
Ø180 mm Highlite Element	W	-	-	-	-	1800	1800	-	-	-
Ø210 mm Highlite Element	W	-	-	-	-	2300	-	-	-	-
Ø180 mm Dual Highlite Element	W	-	-	-	-	1700	1700	-	-	-
Oval Highlite Element	W	-	-	-	-	1800	1800	-	-	-
Ø210 mm Dual Highlite Element	W	-	-	-	-	2200	-	-	-	-
Ø160 mm Induction Hob (Boost)	W	-	-	-	-	-	-	1400/1800	-	-
Ø200 mm Induction Hob (Boost)	W	-	-	-	-	-	-	2100/2500	-	-
Hot Surface Indicator Light		-	-	-	-	Default	Default	-	-	-
Hotplate Operation Indicator Light		-	-	Default	Default	-	-	-	-	-
Thermostat Operation Indicator Light		-	-	Default	Default	Default	Default	Default	Default	Default
Stainless Steel Burner Pan (in case of gas on glass hob)		Optional	-	-	-	-	-	-	-	-
Metal Lid		Optional	Optional	Optional	Optional	-	-	-	Optional	Optional
Glass Lid (Transparent)		Optional	Optional	-	-	-	-	-	Optional	Optional
Glass Lid Shut-off Valve		Optional	Optional	-	-	-	-	-	Optional****	Optional****
Burner Safety Valves		Default	Default	-	-	-	-	-	Default	Default
Button Ignition		Optional	Optional	-	-	-	-	-	Optional	Optional
One-touch-Ignition through knobs		Optional	Optional	-	-	-	-	-	Optional	Optional
Ignition by DC battery		Optional	Optional	-	-	-	-	-	-	-
Enamel Pan Supports		Default	Default	-	-	-	-	-	Default	Default
Cast Iron Pan Supports		Optional	Optional	-	-	-	-	-	Optional	Optional
Cast Iron Burner Caps		Optional	Optional	-	-	-	-	-	Optional	Optional
Coffee Adaptor		Optional	Optional	-	-	-	-	-	Optional	Optional
Wok Adaptor		Optional	Optional	-	-	-	-	-	Optional	Optional
Vitroceraimic Glass Cleaning Spatula		-	-	-	-	Optional	Optional	Optional	-	-
Oven Features										
Main Oven										
Oven Type		Gas	Gas	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Oven Volume, Depends on Model (min/max)	lt	39/41	33/35	56/67	48/58	56/67	48/58	56/67	56/67	48/58
Cavity Dimensions, Depends on Model (min/max) (WxDxH)	mm	410x316x292 430x337x292	350x316x292 370x337x292	430x391x335 455x441x335	370x391x335 395x441x335	430x391x335 455x441x335	370x391x335 395x441x335	430x391x335 455x441x335	430x391x335 455x441x335	370x391x335 395x441x335
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Default	Default	Default	Default	Default	Default	Default	Default	Default
Catalytic Panels (Left, right and rear)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Racks with Telescopic Rails (1 or 2)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Electric Oven Functions		-	-	Up to 6	Up to 6	Up to 6	Up to 6	Up to 6	Up to 6	Up to 6
Top Heating Element	W	-	-	1200	1000	1200	1000	1200	1200	1000
Bottom Heating Element	W	-	-	1100	1000	1100	1000	1100	1100	1000
Thermostat		Default	Default	Default	Default	Default	Default	Default	Default	Default
Oven Safety		Default	Default	-	-	-	-	-	-	-
Open Flame Burner		Default	Default	-	-	-	-	-	-	-
Oven Burner (Thermostat Controlled)	W	2400	2400	-	-	-	-	-	-	-
Electric Single Grill	W	-	-	1400	1600	1400	1600	1400	1400	1600
Electric Double Grill	W	-	-	-	-	-	-	-	-	-
Fan	W	-	-	23-35	23-35	23-35	23-35	23-35	23-35	23-35
Fan with Ring Heating Element	W	-	-	2000	2000	2000	2000	2000	2000	2000
Energy Rating		A	A	A	A	A	A	A	A	A
Top Oven										
Oven Type		Gas	Gas	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Oven Volume, Depends on Model (min/max)	lt	16/22	14/19	35/35	30/30	35/35	35/35	30/30	35/35	30/30
Cavity Dimensions, Depends on Model (min/max) (WxDxH)	mm	412 x 310 x 123 432 x 350 x 158	352 x 310 x 123 372 x 350 x 158	432 x 427 x 190 457 x 439 x 190	372 x 427 x 190 397x 439 x 190	432 x 427 x 190 457 x 439 x 190	372 x 427 x 190 397x 439 x 190	432 x 427 x 190 457 x 439 x 190	432 x 427 x 190 457 x 439 x 190	372 x 427 x 190 397x 439 x 190
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Default	Default	Default	Default	Default	Default	Default	Default	Default
Catalytic Enamel Panels (Left and right)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Side Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Telescopic Rails (1 rack)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Electric Oven Functions		-	-	Up to 4	Up to 4	Up to 4	Up to 4	Up to 4	Up to 4	Up to 4
Top Heating Element	W	-	-	700	500	700	500	700	700	500
Bottom Heating Element	W	-	-	700	600	700	600	700	700	600
Thermostat		Optional	Optional	-	-	-	-	-	-	-
Oven Safety		Default	Default	-	-	-	-	-	-	-
Oven Burner (Thermostat Controlled)	W	2400	2400	-	-	-	-	-	-	-
Electric Single Grill	W	-	-	1600	1400	1600	1400	1600	1600	1400
Electric Double Grill	W	-	-	2300	1900	2300	1900	2300	2300	1900

SPECIFICATIONS

DOUBLE OVEN SPECIFICATION SHEET		Gas DO		Electric DO with Solid Hotplates Hob		Electric DO with Ceramic Glass Hob		Electric DO with Induction Hob	Mixed (Duel Fuel) DO	
		60x60	50x60	60x60	50x60	60x60	50x60	60x60****	60x60	50x60
Oven Features										
Gas Grill with European Type Burner	W	2100	2000	-	-	-	-	-	-	-
Gas Oven with Open Flame Burner		Default	Default	-	-	-	-	-	-	-
Energy Rating		A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B
Common Features										
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer for MO		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Clock		Optional	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer for MO		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Baking Tray (Shallow Tray)		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Roasting Tray (Deep Tray)		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Chromed Grid with Stoper		1	1	1	1	1	1	1	1	1
Inner Grid for Deep Tray		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Grill Pan with Handle Set		1	1	1	1	1	1	1	1	1
Flat Metal Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
3D Metal Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
3D Glass Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Flat Glass Door with Full Inner Glass		-	-	-	-	-	-	-	-	-
Removable Inner Glass (only for flat glass door)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mirrored Oven Door Glass		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Removable Oven Door		Default	Default	Default	Default	Default	Default	Default	Default	Default
Add-on Stripes on Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Left Side Opening Oven Door **		Default	Default	Default	Default	Default	Default	Default	Default	Default
Drop Down Opening Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Gas Conversion Kit		Default	Default	-	-	-	-	-	-	-
Tip over Bracket		Default	Default	Default	Default	Default	Default	Default	Default	Default
Cooling Fan****		-	-	Optional	Optional	Optional	Optional	Optional	-	-
Other Features										
Total Power (Depends on Model) Maximum	kW	12,3	12,3	11,6	10,9	11,6	9,9	11,6	6,1	5,4
Voltage	V	230	230	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230	230
Energy consumption according to the EN60335 Standards	kWh	-	-	0,79-0,88	0,79-0,89	0,79-0,88	0,79-0,89	0,79-0,88	0,79-0,88	0,79-0,89
Cavity Insulation		Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White
RoHS Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default
CE Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default
Height with Lid Open (85 cm / 90 cm)	cm	145/150	150	145/150	150	145/150	150	145/150	145/150	150
Depth with Door Open	cm	105	105	105	105	105	105	105	105	105
Carton Box Packaging		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	mm	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974
Net Weight (Depends on Model) Maximum	kg	47,5	44,3	46,5	42,9	47,5	44,1	57,3	45	42
Gross Weight (Depends on Model) Maximum	kg	50,5	47,3	49,5	45,9	50,5	47,1	60,3	48,5	45,2

- Notes
 * Only drop down opening oven door
 ** Only for cookers with 90 cm height
 *** Only on painted parts
 **** Only available in Full Flat & Full Flat Plus Aesthetics

FREE-STANDING COOKERS SPECIFICATION SHEET		Electric Cooker with Induction Hob	
		60x60	
Available Colours			
White			Standard
Brown			Optional
Terre de France			Optional
Black			Optional
Dark Green			Optional
Silver			Optional
Inox painted			Optional
Stainless Steel			Optional
Red			Optional
Anthracite**			Optional
Nominal Dimensions			
Height (Adjustable Feet max. +3.0cm)	cm		85 / 90
Width	cm		60
Depth	cm		60
Hob Features			
Hob			Induction
Ø160 mm Induction Hob (Boost)	W		1400 - 1800W
Ø200 mm Induction Hob (Boost)	W		2100 - 2500W
Ø250 mm Induction Hob (Boost)	W		2800 - 3500W
Touch Control			Standard
Knob Control			Optional
Slider Control			Optional
Hob Timer (Touch Control/Knob Control)			Optional/Standart
Hot Surface Indicator Light			Standard
Thermostat Operation Indicator Light			Standard
Vitroceraic Glass Cleaning Spatula			Optional
Oven Features			
Oven Type			Electric
Oven Volume, Depends on Model (min/max)	lt		56/67 (60 lt), 64/76 (65 lt)
Cavity Dimensions, Depends on Model (min/max) (WxDxH)	mm		430x391x335, 455x441x335
Oven Light (25W)			Optional
Easy to Clean Enamel			Standard
Catalitic Enamel Panels (Left, right and rear)			Optional
Wire Side Racks			Optional
Telescopic Rails (1 or 2 racks)			Optional
Electric Oven Functions			Up to 9
Top Heating Element	W		1200
Bottom Heating Element	W		1100
Thermostat			Standard
Electric Single Grill	W		1400
Electric Double Grill	W		2600
Fan	W		23 -35
Fan with Ring Heating Element	W		2000
Automatic Boost Function			-
Turnspit			Optional
Mechanical Minute Minder			Optional
Mechanical Timer			Optional
Digital Clock			Optional
Digital Programmer			Optional
Baking Tray (Shallow Tray)			Optional
Glass Tray			Optional
Roasting Tray (Deep Tray)			1
Chromed Grid with Stoper			1
Wire grid for deep tray			Optional
Broil Pan with Handle Set			Optional
Flap Drawer at the bottom			Optional
4WG Farmer Drawer at the bottom			Optional
Full outer glass and Inner metal door (small glass) Oven Door			Standard
Inclined Solid Oven Door			Optional
Full outer glass and full inner glass Oven Door			Optional
Removable inner glass (with full glass outer and full glass inner door)			Optional
Cool Touch Oven Door			Optional
Flotal Oven Door Glass			Optional
Removable Oven Door			Standard
Add-on Stripes on Oven Door			Optional
Glass Application on Control Panel			Optional
Glass Application on Drawer Cover			Optional
Child Lock on Oven Door			Optional
Tip over Bracket (Wall Type / Ground Type)			Standard
Shabat Function			Optional
Others			
Total Power (Depends on Model) Maximum	kW		10
Voltage	V		230 ~ / 400V 3N~
Energy consumption according to the EN50304 Standards (Depends on Model)	kWh		0.79 - 0.85
Electric Cooker Energy Rating			A / B
Cavity Insulation			White / Yellow
Pop-in / Pop-out Knob			Optional
Serigraphy on Knob			Optional
RoHS Compliance			Standard
CE Compliance			Standard
Height with Lid Open (85 cm / 90 cm)	cm		145 / 150
Depth with Door Open	cm		106
Carton Box Packaging			Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	mm		645 x 684 x 922, 645 x 684 x 977
Net Weight (Depends on Model) Maximum	kg		54,8
Gross Weight (Depends on Model) Maximum	kg		58,1
Container Loading Quantity* (20 ft Container)	pcs		48
Container Loading Quantity* (40 ft Container)	pcs		108
Container Loading Quantity* (40 ft HC Container)	pcs		108

*Shrink packaging for model with 85cm high and vertical positioning in container
 ** Only on painted parts

SPECIFICATIONS

Gas Hob Configuration for 60X60 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
31	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 180 Hotplate	
33	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Hotplate	
34	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Rapid Hotplate	
35	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Rapid Hotplate	
36	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Hotplate	
40	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	
41	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid, 1 x Triple Flame Burner	

Gas Hob Configuration for 50X60 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
30	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid	
31	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 180 Hotplate	
33	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Hotplate	
34	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Rapid Hotplate	
35	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Rapid Hotplate	
36	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Hotplate	
36	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Hotplate	
40	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	

Gas Hob Configuration for 50X50 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
30	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid	
31	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 145 Hotplate	
40	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	

Gas Hob Configuration for 90X60 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
50	1 x Auxiliary, 2 x Semi Rapid, 2 x Rapid	
51	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x Triple Flame Burner	
52	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x Fish Burner	
53	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 2 x Hotplate	
54	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 2 x Induction	
55	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x 180 Rapid Hotplate, 1 x 145 Hotplate	
56	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x 180 Hotplate	







SPECIFICATIONS

Vitreoceramic Hob Configurations for 60x60 Free-Standing Cookers		
Hob ID	Highlight element configuration	Element placement
10	2 x 145, 2 x 180 highlight element	
11	2 x 145, 1 x 180, 1 x 180 dual highlight element	
12	2 x 145, 1 x 180 dual, 1 x oval highlight element	
13	2 x 145, 1 x 180, 1 x 210 highlight element	
14	2 x 145, 1 x 210, 1 x 180 dual highlight element	
19	1 x 145, 1 x 180 dual, 1 x 210, 1 x oval highlight element	
20	2 x 145, 1 x 180, 1 x oval highlight element	
21	2 x 145, 1 x 210 dual, 1 x oval highlight element	
22	2 x 145, 1 x 210, 1 x oval highlight element	








Vitreoceramic Hob Configurations for 50x60 Free-Standing Cookers		
Hob ID	Highlight element configuration	Element placement
10	2 x 145, 2 x 180 highlight element	
11	2 x 145, 1 x 180, 1 x 180 dual highlight element	
12	2 x 145, 1 x 180 dual, 1 x oval highlight element	

Vitreoceramic Hob Configurations for 50x50 Free-Standing Cookers		
Hob ID	Highlight element configuration	Element placement
30	4x145 highlight element	
31	2 x 145, 1 x 180 highlight element	
32	2 x 145, 1 x 180 dual highlight element	

Vitreoceramic Hob Configurations for 90x60 Free-Standing Cookers		
Hob ID	Highlight element configuration	Element placement
33	2 x 145, 3 x 180 highlight element	
34	2 x 145, 2 x 180, 1 x 210 highlight element	
35	2 x 145, 1 x 180, 1x180 dual, 1 x oval highlight element	
36	2 x 145, 1 x 180, 1x210 dual, 1 x oval highlight element	

Solid Hotplate Hob Configurations for 60x60 Free Standing Cookers		
Hob ID	Highlight element configuration	Element placement
01	2 x 145, 2 x 180 hotplate	
02	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
06	2 x 145, 1 x 180, 1 x 220 hotplate	
08	1 x 80, 2 x 180, 1 x 145 hotplate	
09	1 x 80, 1 x 180, 1 x 180 rapid, 1 x 145 hotplate	

** 1 and 27 hob configurations are available for 400V rated voltage.

Solid Hotplate Hob Configurations for 50x60 Free Standing Cookers		
Hob ID	Hotplate configuration	Element placement
01	2 x 145, 2 x 180 hotplate	
02	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
08	1 x 80, 2 x 180, 1 x 145 hotplate	
09	1 x 80, 1 x 180, 1 x 180 rapid, 1 x 145 hotplate	
17	1 x 80, 1 x 180, 1 x 145, 1 x 220 hotplate	
18	1 x 80, 1 x 180 rapid, 1 x 145, 1 x 220 hotplate	

SPECIFICATIONS

Solid Hotplate Hob Configurations for 50x50 Free Standing Cookers		
Hob ID	Hotplate configuration	Element placement
01	2 x 145, 2 x 180 hotplate	
02	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
27	4 x 145 hotplate	
28	4 x 145 rapid hotplate	
29	2 x 145 hotplate, 2 x 145 rapid hotplate	

Induction Hob Configurations for 60x60 Free Standing Cookers			
Hob ID	Hob configuration	Control System	Element placement
56	2x160B, 2x200B induction element 2x(1400 / B1800 W), 2x (2100 / B2500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER SLIDER TOUCH WITH TIMER KNOB CONTROL	
57	1x160B, 2x200B induction element 1x(1400 / B1800 W), 2x (2100 / B2500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER SLIDER TOUCH WITH TIMER KNOB CONTROL	
58	1x160B, 1x200B, 1x250B induction element 1x(1400 / B1800 W), 1x (2100 / B2500 W, 1x(2800 / B 3500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER SLIDER TOUCH WITH TIMER KNOB CONTROL	

Induction Hob Configurations for 90x60 Free Standing Cookers			
Hob ID	Hob configuration	Control System	Element placement
59	2x160B, 3x200B induction element 2x(1400 / B1800 W), 3x (2100 / B2500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER SLIDER TOUCH WITH TIMER KNOB CONTROL	
60	2x160B, 2x200B, 1x250B induction element 2x(1400 / B1800 W), 2x (2100 / B2500 W, 1x(2800 / B 3500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER SLIDER TOUCH WITH TIMER KNOB CONTROL	

** Not available for 400V rated voltage.

	ENAMELLED PAN SUPPORTS						CAST IRON PAN SUPPORTS		
	S-type Enamelled	V-type Enamelled	O-type Enamelled	K-type Enamelled	E-type Enamelled	D-type Enamelled	S-type Cast Iron	W-type Cast Iron	T-type Cast Iron
Freestanding Double Oven 50x60			NA		NA		NA	NA	NA
Freestanding Double Oven 60x60					NA				NA
New Generation Freestanding 50x50			NA	NA	NA		NA	NA	NA
New Generation Freestanding 50x60			NA	NA	NA			NA	NA
New Generation Freestanding 60x60			NA	NA	NA			NA	NA
New Generation Freestanding 90x60		NA	NA	NA		NA		NA	

Electric Oven Function for Double Ovens								
TOP OVEN								
Function ID	Identity in the Market		Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	Electrical Power at 230V (W)	
							50x60	60x60
1	Grill		Grill	0 / GRILL	1	-	1400	1600
2	Grill		Grill	0 / GRILL / DOUBLE GRILL	2	-	1900	2300
3	Static oven		(Top + Bottom) + Grill	0 / TOP+BOTTOM / BOTTOM / TOP / GRILL	4	-	1400	1600
4	Static oven		(Top + Bottom) + Grill	0 / TOP+BOTTOM / TOP / GRILL / DOUBLE GRILL	4	-	1900	2300
MAIN OVEN								
Function ID	Identity in the Market		Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	50x60	60x60
1	Static oven		(Top + Bottom)	0 / TOP+BOTTOM	1	-	2000	2300
2	Static oven		(Top + Bottom)	0 / TOP+BOTTOM / BOTTOM / TOP	3	-	2000	2300
3	Turbo oven		(Fan + Ring)	0 / DEFROST / FAN+RING	2	-	2000	2000
4	Multifunction oven		(Top + Bottom + Fan + Ring)	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN	4	-	2000	2300
5	Fan assisted oven		(Top + Bottom + Fan)	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN	3	-	2000	2300
6	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	5	-	2000	2300
7	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	6	-	2000	2300

SPECIFICATIONS

Electric Oven Function for Freestanding Ovens									
Function ID	Identity in the Market	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	Electrical Power at 230V (W)			
						50x50 & 50x60	60x60	90x60	
01	Static oven		(Top + Bottom)	0 / TOP+BOTTOM / BOTTOM / TOP	3	-	2000	2300	2400
02	Static oven		(Top + Bottom) + Grill + Turnspit	0 / TOP+BOTTOM / BOTTOM / TOP / GRILL+TURNSPIT	4	Not available for 50x50 freestanding oven	2000	2300	2400
03	Static oven		(Top + Bottom) + Grill + Turnspit	0 / TOP+BOTTOM / BOTTOM / GRILL+TURNSPIT / DOUBLE GRILL+TURNSPIT	4	Not available for 50x50 freestanding oven	2600	2600	3000
04	Static oven		(Top + Bottom) + Grill + Turnspit	0 / OVENLIGHT / TOP+BOTTOM / BOTTOM / TOP / GRILL+TURNSPIT / DOUBLE GRILL+TURNSPIT	6	Not available for 50x50 freestanding oven	2600	2600	3000
05	Turbo oven		(Fan + Ring)	0 / DEFROST / FAN+RING	2	Not available for 50x50 freestanding oven	2000	2000	1600
06	Turbo oven		(Fan + Ring) + Grill + Turnspit	0 / DEFROST / FAN+RING / GRILL+TURNSPIT / GRILL+FAN+TURNSPIT	4	Not available for 50x50 freestanding oven	2000	2000	1800
07	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL+TURNSPIT / GRILL+FAN+TURNSPIT	6	Not available for 50x50 freestanding oven	2000	2300	2400
08	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL+TURNSPIT / DOUBLE GRILL+TURNSPIT	6	Not available for 50x50 freestanding oven	2600	2600	3000
09	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / OVENLIGHT / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / PIZZA / GRILL+TURNSPIT / DOUBLE GRILL+TURNSPIT / DOUBLE GRILL+TURNSPIT	9	Not available for 50x50 freestanding oven	3000	3100	3000
10	Fan assisted oven		(Top + Bottom + Fan) + Grill + Turnspit	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL+TURNSPIT / GRILL+FAN+TURNSPIT	5	Not available for 50x50 freestanding oven	2000	2300	2400
11	Fan assisted oven		(Top + Bottom + Fan) + Grill + Turnspit	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL+TURNSPIT / DOUBLE GRILL+TURNSPIT	5	Not available for 50x50 freestanding oven	2600	2600	3000
12	Fan assisted oven		(Top + Bottom + Fan) + Grill + Turnspit	0 / OVENLIGHT / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / BOTTOM+FAN / GRILL+TURNSPIT / DOUBLE GRILL+TURNSPIT / DOUBLE GRILL+FAN+TURNSPIT	8	Not available for 50x50 freestanding oven	2600	2600	3000
13	Static oven		(Top + Bottom) + Grill	0 / TOP+BOTTOM / BOTTOM / TOP / GRILL	4	-	2000	2300	2400
14	Static oven		(Top + Bottom) + Grill	0 / TOP+BOTTOM / BOTTOM / GRILL / DOUBLE GRILL	4	-	2600	2600	3000
15	Static oven		(Top + Bottom) + Grill	0 / OVENLIGHT / TOP+BOTTOM / BOTTOM / TOP / GRILL / DOUBLE GRILL	6	-	2600	2600	3000
16	Turbo oven		(Fan + Ring) + Grill	0 / DEFROST / FAN+RING / GRILL / GRILL+FAN	4	Not available for 50x50 freestanding oven	2000	2000	1800
17	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	6	Not available for 50x50 freestanding oven	2000	2300	2400
18	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / DOUBLE GRILL	6	Not available for 50x50 freestanding oven	2600	2600	3000
19	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / OVENLIGHT / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / PIZZA / GRILL / DOUBLE GRILL / DOUBLE GRILL+FAN	9	Not available for 50x50 freestanding oven	3000	3100	3000
20	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	5	Not available for 50x50 freestanding oven	2000	2300	2400
21	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / DOUBLE GRILL	5	Not available for 50x50 freestanding oven	2600	2600	3000
22	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / OVENLIGHT / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / BOTTOM+FAN / GRILL / DOUBLE GRILL / DOUBLE GRILL+FAN	8	Not available for 50x50 freestanding oven	2600	2600	3000
23	Multifunction oven		(Top + Bottom + Fan + Ring)	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN	4	Not available for 50x50 freestanding oven	2000	2300	2400
24	Multifunction oven		(Top + Bottom + Fan + Ring) + Turnspit	0 / DEFROST / FAN+RING+TURNSPIT / TOP+BOTTOM+TURNSPIT / TOP+BOTTOM+FAN+TURNSPIT	4	Not available for 50x50 freestanding oven	2000	2300	2400
25	Fan assisted oven		(Top + Bottom + Fan)	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN	3	Not available for 50x50 freestanding oven	2000	2300	2400
26	Fan assisted oven		(Top + Bottom + Fan) + Turnspit	0 / DEFROST / TOP+BOTTOM+TURNSPIT / TOP+BOTTOM+FAN+TURNSPIT	3	Not available for 50x50 freestanding oven	2000	2300	2400
27	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / DOUBLE GRILL / PYROLYSIS	6	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
28	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / TURBO / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / DOUBLE GRILL / PYROLYSIS	7	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
29	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / DEFROST / TURBO / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL+TURNSPIT / DOUBLE GRILL+TURNSPIT / PYROLYSIS	7	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
50	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / OVENLIGHT / DEFROST / TURBO / TOP+BOTTOM / TOP+BOTTOM+FAN / PIZZA / GRILL + TURNSPIT / DOUBLE GRILL+TURNSPIT / DOUBLE GRILL+FAN + TURNSPIT / VAP CLEAN	10	Not available for 50x50 freestanding oven	2600	3100	3000
51	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / OVENLIGHT / DEFROST / TURBO / TOP+BOTTOM / TOP+BOTTOM+FAN / PIZZA / GRILL / DOUBLE GRILL / DOUBLE GRILL+FAN / VAP CLEAN	10	Not available for 50x50 freestanding oven	2600	3100	3000
52	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / BOTTOM / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	6	Not available for 50x50 freestanding oven	2000	2300	2400
53	Fan assisted oven		(Top + Bottom + Fan)	0 / BOTTOM / TOP / TOP+BOTTOM / TOP+BOTTOM+FAN	4	Not available for 50x50 freestanding oven	2000	2300	2400

Gas Oven Functions for FS Cookers								
Function ID	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Products				CE Conformity
				50x50	50x60	60x60	90x60	
31	Oven Burner	OVEN BURNER + OVEN LAMP	1	✓	✓	✓	✓	✓
32	Oven Burner	OVEN BURNER + THERMOSTAT + OVEN LAMP	1	✓	✓	✓	✓	✓
33	Oven Burner + Gas Grill	OVEN BURNER + GAS GRILL + OVEN LAMP	2	✓	✓	✓	✓	✓
34	Oven Burner + Gas Grill	OVEN BURNER + GAS GRILL + THERMOSTAT + OVEN LAMP	2	✓	✓	✓	✓	✓
35	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + OVEN LAMP	3	NA	✓	✓	✓	✓
36	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + OVEN LAMP	3	NA	✓	✓	✓	✓
38	Oven Burner + Electric Grill	OVEN BURNER + ELECTRIC GRILL + THERMOSTAT	2	✓	✓	✓	✓	✓
39	Oven Burner + Electric Grill + Turnspit	OVEN BURNER + ELECTRIC GRILL + TURNSPIT + THERMOSTAT + OVEN LAMP	3	NA	✓	✓	✓	✓
41	Oven Burner	OVEN BURNER	1	✓	✓	✓	✓	✓
42	Oven Burner	OVEN BURNER + THERMOSTAT	1	✓	✓	✓	✓	✓
43	Oven Burner + Gas Grill	OVEN BURNER + GAS GRILL	2	✓	✓	✓	✓	✓
44	Oven Burner + Gas Grill	OVEN BURNER + GAS GRILL + THERMOSTAT	2	✓	✓	✓	✓	✓
45	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT	3	NA	✓	✓	✓	✓
46	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT	3	NA	✓	✓	✓	✓
48	Oven Burner + Electric Grill	OVEN BURNER + ELECTRIC GRILL + THERMOSTAT	2	✓	✓	✓	✓	✓
57	Oven Burner + Electric Grill	OVEN BURNER + ELECTRIC GRILL	2	✓	✓	✓	✓	✓
58	Oven Burner + Electric Grill	OVEN BURNER + ELECTRIC GRILL + OVEN LAMP	2	✓	✓	✓	✓	✓
59	Oven Burner + Electric Grill + Turnspit	OVEN BURNER+ELECTRIC GRILL+TURNSPIT + OVEN LAMP	3	NA	✓	✓	✓	✓
62	Oven Burner + Fan	OVEN BURNER + FAN + OVEN LAMP	2	NA	✓	✓	✓*	✓
63	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + FAN + OVEN LAMP	3	NA	✓	✓	✓*	✓
64	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + FAN + OVEN LAMP	3	NA	✓	✓	✓*	✓
65	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + FAN + OVEN LAMP	4	NA	✓	✓	✓*	✓
66	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + TURNSPIT + FAN + OVEN LAMP	4	NA	✓	✓	✓*	✓
68	Oven Burner + Electric Grill + Fan	OVEN BURNER + ELECTRIC GRILL + THERMOSTAT + FAN + OVEN LAMP	3	NA	✓	✓	✓*	✓
69	Oven Burner + Electric Grill + Turnspit + Fan	OVEN BURNER + ELECTRIC GRILL + TURNSPIT + THERMOSTAT + FAN + OVEN LAMP	4	NA	✓	✓	✓*	✓
70	Oven Burner + Fan	OVEN BURNER + THERMOSTAT + FAN + OVEN LAMP	2	NA	✓	✓	✓*	✓
71	Oven Burner + Fan	OVEN BURNER + FAN	2	NA	✓	✓	✓*	✓
72	Oven Burner + Fan	OVEN BURNER + THERMOSTAT + FAN	2	NA	✓	✓	✓*	✓
73	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + FAN	3	NA	✓	✓	✓*	✓
74	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + FAN	3	NA	✓	✓	✓*	✓
75	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + FAN	4	NA	✓	✓	✓*	✓
76	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + FAN	4	NA	✓	✓	✓*	✓
78	Oven Burner + Electric Grill + Fan	OVEN BURNER + ELECTRIC GRILL + THERMOSTAT + FAN	3	NA	✓	✓	✓*	✓
79	Oven Burner + Electric Grill + Turnspit + Fan	OVEN BURNER + ELECTRIC GRILL + TURNSPIT + THERMOSTAT + FAN	4	NA	✓	✓	✓*	✓
83	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + FAN + OVEN LAMP + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
84	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + FAN + OVEN LAMP + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
85	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + FAN + OVEN LAMP + DOUBLE CONTROL	4	NA	✓	✓	✓	NA
86	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + FAN + OVEN LAMP + DOUBLE CONTROL	4	NA	✓	✓	✓	NA
87	Oven Burner + Gas Grill	OVEN BURNER + GAS GRILL + OVEN LAMP + DOUBLE CONTROL	2	ü	✓	✓	✓	NA
88	Oven Burner + Gas Grill	OVEN BURNER + GAS GRILL + THERMOSTAT + OVEN LAMP + DOUBLE CONTROL	2	ü	✓	✓	✓	NA
89	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + OVEN LAMP + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
90	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + OVEN LAMP + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
93	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + FAN + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
94	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + FAN + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
95	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + FAN + DOUBLE CONTROL	4	NA	✓	✓	✓	NA
96	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + FAN + DOUBLE CONTROL	4	NA	✓	✓	✓	NA
97	Oven Burner + Electric Grill + Fan	OVEN BURNER + ELECTRIC GRILL + FAN	3	NA	✓	✓	✓*	✓
98	Oven Burner + Electric Grill + Fan	OVEN BURNER+ELECTRIC GRILL + FAN + OVEN LAMP	3	NA	✓	✓	✓*	✓
99	Oven Burner + Electric Grill + Turnspit + Fan	OVEN BURNER+ELECTRIC GRILL+TURNSPIT+ FAN+ OVEN LAMP	4	NA	✓	✓	✓*	✓

Vestel Trade Co.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestel.com.tr

Vestel Benelux B.V.

P.O. Box 29179 3001 GD - Rotterdam / Netherlands

Phone: 31 - 10 235 1000

Fax: 31 - 10 235 1003

info@vestelbenelux.nl

www.vestelbenelux.nl

TOO Vestel Central Asia

Dostyk Avenue, 132 , Office 6, Almaty/Kazakhstan

Phone: 7 - 727 262 83 01

Vestel CIS Ltd.

1-st Graivoronovsky Proezd, No.20 Building 16,

109518, Moscow /Russia

Phone: 7 - 095 956 8230

Fax: 7 - 095 956 8233

info@vestel.ru

www.vestel.ru

Vestel Electronica

Str Zidarului nr 9-11, Sector 5 Bucuresti, ZIP 051765

Bucharest/Romania

Phone: 40 - 31 425 42 93

Fax: 40 -31 425 42 95

office@vestel.ro

www.vestel.ro

Vestel France S.A.

17 Rue de la Couture-Silic BP 10190-94563 RUNGIS

Cedex/France

Phone: 33 - 1 46 75 00 29

Fax: 33 - 1 41 80 99 31

p.benhamou@vestel-france.fr

Vestel Germany GmbH

Parkring 6 85748 Garching b. München/Germany

Phone: 49 - 89 55295 - 0

Fax: 49 - 89 55295 - 2000

info@vestel-germany.de

www.vestel-germany.de

Gruppo Industriale Vesit SPA

Via polidoro da Caravaggio, 6, 20156 - Milano/Italy

Phone: 39 - 02 842 48577

Fax: 39 - 02 842 48617

info@givesit.it

www.givesit.it

Vestfrost Household

Spangsbjerg Mollevej 100, DK-6705 Esbjerg 0,
Denmark

Phone: 45 - 7610 4045

Fax: 45 - 7610 4046

Vestel Iberia

Avda, Partenon, 16-18 Planta 1 Oficina 6, 28042

Madrid/Spain

Phone: 34 -91 320 63 98

Fax: 34 -91 320 52 58

vestel@vestel.es www.vestel.es

Vestel Poland

Poleczki 33, 02-822 Warszawa, Mazowieckie

Phone: 48 22 2555700

info@vestel-poland.com

Vestel Scandinavia

Postikatu 4, FI-04400 Järvenpää / Finland

Phone: 358 - 46 712 2262

Fax: 358 - (0) 9 251 7 8222

Vestel UK Ltd

Vestel House, Waterside Drive

Langley, Berkshire SL3 6EZ

Phone: 44 - 3330 146 400

info@vestel-uk.com

www.vestel.co.uk

United Technical Services

S.R.O. ul. Seneckâ 16, 91101 Samorin, Slovakia

Phone: 421- 31 590 27 31

Fax: 421- 31 590 27 38

info@uts.sk

www.uts.sk

VESTEL

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye
Phone: 90 - 236 233 25 82 **Fax:** 90 - 236 233 25 84
vesteltrade@vestel.com.tr
www.vestel.com.tr