



**Refrigerators**  
2016-2017

**VESTEL**





**Company Profile**  
02-03



**Global Operations**  
04-05



**Features**  
06-09



**Designs**  
10-23



**Refrigerators**  
24-100



**Specifications**  
101-108



**Addresses**  
109





## Company Profile

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.


As one of the leading enterprises in Turkey, Vestel is a major player in consumer electronics, mobile technologies, household appliances, professional displays and LED lighting with renowned products, including refrigerators, washing machines, cooking appliances, dishwashers, air conditioners, water heaters, television sets, educational, hospitality and digital signage solutions, digital set-top boxes, tablet PCs, and smart phones.

The company is recognised for its cutting-edge designs, high product quality, large production capacity, and superior market share growth.

Vestel is one of the ten biggest household appliance manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.







Operating with an annual capacity of 3.2 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 2.5 million units a year, with models ranging from 4 kg to 9 kg drum capacities. The group added washer dryers to the product range in 2012. The plant for cooking appliances operates with an annual capacity of 2.2 million units, producing free-standing cookers, built-in hobs and ovens.

The household appliances product range includes free standing, semi and fully integrated dishwashers. The plant has the capacity to produce 2.5 million units a year.

In addition, the air conditioner factory is capable of producing 750,000 units of split-type models.

Vestel is the first company in Turkey operating two manufacturing plants in Russia for the production of refrigerators, washing machines, and televisions with the aim of becoming a leader in CIS countries.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 73% percent of its production under leading Japanese and European brands to 152 countries.

Vestel Trade has achieved export sales of 8.3 million units of electronics and 4.8 million units of household appliances.

Distributing its products to seven continents, Vestel takes its place as a world-class company.

 Global Operations



## Manufacturing & Assembly Plants

Refrigerator, Washing Machine, Dishwasher, Cooking Appliances, Air Conditioner, Water Heater Manisa, Turkey

LED TV, HD, IP/OTT, PVR Set-top Boxes – Manisa, Turkey

Professional Displays, Tablet PC, Smart Phone, LED lighting – Manisa Turkey

## Marketing & Sales Companies

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, The UK

Vestel Iberia, Spain

Gruppo Industriale Vestit, Italy

Vestel Benelux, The Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Scandinavia, Finland

Vestfrost Household, Denmark

Vestel Central Asia, Kazakhstan

## R&D Centers

Manisa, Turkey

Istanbul, Turkey

Bristol, UK

Shanghai, China



# Features





Ice



Flat



Imd-Display



Flaty



Blanca



ELECTRONIC DISPLAYS

- Freezer Temperature Adjustment Refrigerator
- Temperature Adjustment Super Freeze
- SuperCool
- Holiday Function Eco Mode
- Door Open Alarm



REVERSIBLE DOORS

Vestel refrigerator doors can be opened to the left or right with a simple adjustment.



REMOVABLE DOOR RACKS

Door racks can be repositioned to provide extra space for bottles and packages of various heights.



WATER DISPENSER

Cold water is in easy reach with the press of a button on the control pad.



SEASON SWITCH

The switch enables the refrigerator to operate at low ambient temperatures without losing its performance. Refrigerator can also operate under subnormal (SN) ambient temperatures.



**ANTI BACTERIAL GASKET**

The gasket prevents growth of bacteria and microorganisms.



The tempered glass on top of the crisper can hold up to 40 kg. weight.



**ICEMATIC**

The cube drop-down mechanism prevents ice from sticking on hand. Closed icing compartment stores and preserves ice-cubes. The tray makes handling of ice-cubes easier.



**CFC AND HCFCFREE**

Refrigerants used in Vestel appliances do not contain CFC. HCFC free models are also available.



**FREEZING TRAY**

The tray provides space for storing and freezing small fruits and vegetables in their original form. Ice box can also be stored on the freezing tray.



**FREEZER DOOR INDICATOR**

The red indicator warns user when freezer door is left open.



**TURBO FAN**

The fan is integrated in the refrigerator, and is directly activated by the compressor. It ensures even circulation of cool air.



COOLING BATTERY



BOTTLE SHELF

The Shelf enable horizontal storage of bottles.



MAGIC BOX




ICE TRAY



ICE BOX

DOOR RACKS



VESTEL



ERA



ERA - Hot Stamp



ARC



ARC with add - on



CUBE



CUBE with add - on



Built - in



I DESIGN



VESTEL (V)



SLIMLINE (S)



SOFTLINE (F)



COOLLINE (C)



DIAMOND



CLASSIC (K)



ELEGANCE (E)



WING





Z DESIGN



LARIX



FLATLINE



FLN WAVE



DNZ



MEBAK



CHAIN



TRIA



CURLY





HC ORCA



AREMI DUE



AREMI UNO



CURVE



CAST



LEVER



SIDEBAR



ROUND



SOFTBAR



POLE



CUT-POLE



STELLA



VEGA





VMK



SLIMLINE



VESTEL (V)



SLIMLINE (S)



SOFTLINE (S)



COOLLINE (C)



CLASSIC (K)



FLATLINE



DIAMOND



## Multi Door Models



Vestel multi door products with 6 doors and 4 doors offer extra large volume and more storage place with no-frost multi cooling technology.



## GT 850



Stainless Steel Sleek Exterior  
See-Through Door  
Easy to Service  
Front-Access Leveling  
Self-Closing Drawers  
Capacitive-Touch User Display

6 mm Tempered Glass Shelves  
Slides for Oven Trays  
Sliding Bottle Tray







## GT 850

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
212x121x65  
Gross / Net Volume: 820 lt. / 713lt.  
Refrigerator / Freezer Net Volume  
466lt. / 247lt.

### STANDARD FEATURES

No Frost  
Built In Compatible with Optional  
Side Panels  
3 Temperature Zones  
Electronic Display  
Automatic Ice Maker  
Vacuum Insulation Panels  
Argon Filled Triple-Pane Glass





## GT/N 910


### Convertible Compartments

Bottom compartments of the refrigerator can be converted from freezer to fridge mode, or vice versa, on demand.

### DCTE

Equipped with double compressors and two evaporators, it employs separate air circulation for fridge and freezer compartments so that taste and odor transfer between the fridge and freezer compartments is prevented. Furthermore, the vegetables are kept fresh longer.

### Cold Wrap Cooling



Vestel French Door cooling system is a combination of two cooling systems. Cooler Compartment has Cold Wrap cooling system, as the circulating cold air wraps the food in the fridge compartment. This minimizes the heat transfer from the walls and ensures the food to stay fresh longer.

### Superior Internal Illumination

Additional to the hidden LED lighting on the cabinet, door integrated LEDs from the sides provide superior illumination.

### Self-Close Fresh Zone

Special sliding rails ensure easy closure of the drawers.

### Stainless Steel Add-Ons on Fridge Balconies



## GT/N 910

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 185x91x75  
Gross / Net Volume: 620 lt./ 526 lt.  
Refrigerator / Freezer Net Volume: 362 lt. /  
164 lt.

### OPTIONAL FEATURES

LED Illuminated Handles

### STANDARD FEATURES

Convertible Freezer Sections  
Vitastore  
Touch Screen Electronic Display  
Cold Wrap Cooling  
DCTE: Double Compressor Twin Evaporators  
Superior Internal Illumination  
Fresh Zone with Self-Close  
Super Quick Freeze & Cool  
Economy Mode for Energy Saving  
Leveling Feet





## GT/N 916

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 185 / 91 / 75  
 Gross / Net Volume : 620 lt / 526 lt  
 Refrigerator / Freezer Net Volume: 362 lt / 164 lt

### OPTIONAL FEATURES

LED Illuminated Handles

### STANDARD FEATURES

Convertible Freezer Section  
 Cold Wrap Cooling  
 Fresh Zone with Self-Close  
 Super Quick Freeze & Cool  
 Economy Mode for Energy Saving  
 Touch Screen Electronic Display  
 Interior LED Lighting  
 Leveling Feet

A<sup>++</sup>

A<sup>+</sup>

A



## GT/N 911

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 185x91x76

Gross / Net Volume: 645 lt./ 529 lt.

Refrigerator / Freezer Net Volume: 362 lt. /  
167 lt.

### STANDARD FEATURES

Touch Screen Electronic Display

Cold Wrap Cooling

Superior Internal Illumination

Fresh Zone with Self-Close

Super Quick Freeze & Cool

Economy Mode for Energy Saving

Leveling Feet

A<sup>+</sup>



## Glass Door Models



Glass door models offer unique design options on both top mounted and bottom mounted fridge freezers.



## GT/N 591

### TECHNICAL DATA

Product Dimensions 591(HxWxD cm):  
195x76x75,5  
Gross / Net Volume: 585 lt./ 569 lt.  
Refrigerator / Freezer Net Volume:  
444 lt. / 125 lt.

### STANDARD FEATURES

3D No Frost Cooling System  
Easy Control Touch Screen Electronic  
Display  
Elegant Internal Led Lighting  
Freshzone  
Super Freezer Compartment  
Economy Mode for Energy Saving  
Holiday Mode  
Ultra Freeze & Cool  
Door Alarm  
Child Lock



S-LINE



## GT/N 566

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
187,5x70x73,5  
Gross / Net Volume: 508 lt./ 455 lt.  
Refrigerator / Freezer Net Volume: 351 lt./104 lt.

### OPTIONAL FEATURES

Reversible Doors  
Electronic Display  
Super Freezer & Cool  
LED Lighting  
Additional Crispers

### STANDARD FEATURES

No Frost  
Multi-Flow Cooling System  
Defrost System: Full Automatic  
Hybrid Control System (Twin Thermostat)  
Fresh Zone  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Shelves  
Egg Holders



566 LEVEL



566 S-LINE DNA



566 S-LINE POWER



## Retro Models



Models with retro door and handle design on both top mounted and bottom mounted fridge freezers and a single door fridge freezer.



340 RETRO



365 RETRO



3664 RETRO



3451 RETRO



HANDLE OPTIONS



BMP



Curve



Uno



Due

COLOR OPTIONS



## Two Door Bottom-Freezer Models



Bottom mounted fridge freezer models offer no frost and static cooling technologies with different dimensions, ideal for both large and small families and groups.



## GT/N 5661

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 187/70/73,5  
 Gross / Net Volume: 486 lt / 437 lt  
 Refrigerator / Freezer Net Volume: 342 lt / 95 lt

### OPTIONAL FEATURES

Reversible Doors  
 Electronic Display  
 Economy Mode for Energy Saving  
 Holiday Mode  
 Super Freezer & Cooler  
 Adjustable Door Rack  
 Foldable Glass Shelf

### STANDARD FEATURES

No Frost Multi Cooling  
 Fresh Zone  
 Leveling Feet  
 Removable Door Racks  
 Egg Holders  
 Bottle Racks  
 Ice Tray  
 Front&Rear Rollers  
 Interior LED Lighting

A+++

A++

A+



## GT/N 466

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
187x70x63,5

Gross / Net Volume: 389 lt./ 357 lt.

Refrigerator / Freezer Net Volume: 260 lt. / 97 lt.

### OPTIONAL FEATURES

Reversible Doors

Water Dispenser

Electronic Display

Super Freezer & Cool

LED Lighting

Additional Crispers

### STANDARD FEATURES

No Frost

Multi-Flow Cooling System

Defrost System: Full Automatic

Hybrid Control System (Twin Thermostat)

Fresh Zone

Leveling Feet

Rear Rollers

Removable Door Racks

Freezer Drawers

Adjustable Shelves

Egg Holders





## GT/SN 383

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
201x59,5x65  
Gross / Net Volume: 379 lt./ 360 lt.  
Refrigerator / Freezer Net Volume: 266 lt. / 94 lt.

### STANDARD FEATURES

No Frost Multi Cooling  
Defrost System: Full Automatic  
Dual Control System (Inner Display)  
Humidity Controlled Crisper  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Shelves  
Egg Holders  
LED Lighting

### OPTIONAL FEATURES

Adjustable Door Rack  
Foldable Glass Shelf  
Water Dispenser  
Natural Ion Tech  
MaxiFresh Preserver  
Reversible Doors  
Electronic Display  
Super Freezer & Cool  
Economy Mode for Energy Saving  
Holiday Mode  
Fresh Zone

A<sup>++</sup>

A<sup>+</sup>



## GT/SN 373

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
186x59,5x65  
Gross / Net Volume: 341 lt./ 324 lt.  
Refrigerator / Freezer Net Volume: 230 lt. / 94

### STANDARD FEATURES

No Frost Multi Cooling  
Defrost System: Full Automatic  
Dual Control System (Inner Display)  
Humidity Controlled Crisper  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Shelves  
Egg Holders  
LED Lighting

### OPTIONAL FEATURES

Adjustable Door Rack  
Foldable Glass Shelf  
Water Dispenser  
Natural Ion Tech  
MaxiFresh Preserver  
Reversible Doors  
Electronic Display  
Super Freezer & Cool  
Economy Mode for Energy Saving  
Holiday Mode  
Fresh Zone







## GT/SN 353

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
186x59,5x65  
Gross / Net Volume: 330 lt./ 312 lt.  
Refrigerator / Freezer Net Volume: 202 lt./111 lt.

### STANDARD FEATURES

No Frost Multi Cooling  
Defrost System: Full Automatic  
Dual Control System (Inner Display)  
Humidity Controlled Crisper  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Shelves  
Egg Holders  
LED Lighting

### OPTIONAL FEATURES

Adjustable Door Rack  
Foldable Glass Shelf  
Water Dispenser  
Natural Ion Tech  
MaxiFresh Preserver  
Reversible Doors  
Electronic Display  
Super Freezer & Cool  
Economy Mode for Energy Saving  
Holiday Mode  
Fresh Zone

A<sup>++</sup>

A<sup>+</sup>



## GT/N 3664

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 185,5 /  
59,5 / 63  
Gross / Net Volume: 335 lt / 318 lt  
Refrigerator / Freezer Net Volume: 231 lt / 87 lt

### OPTIONAL FEATURES

Reversible Doors  
Electronic Display

### STANDARD FEATURES

No Frost  
Multi Flow Cooling System  
Defrost System: Full Automatic  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Shelves  
Egg Holders

A<sup>+</sup>



## GT 385 / GST/N 380

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
200x59,5x60  
Gross / Net Volume: 362 lt./ 338 lt.  
Refrigerator / Freezer Net Volume: 224 lt./114 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Single Compressor: GN385  
Double Compressor: GN380  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holder





## GST/N 3651

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
185,5x59,5x61,5  
Gross / Net Volume: 313 lt./ 290 lt.  
Refrigerator / Freezer Net Volume: 209 lt. / 81 lt.

### OPTIONAL FEATURES

Reversible Doors  
Adjustable Tempered Glass Shelves

### STANDARD FEATURES

Single Compressor  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holder  
Transparent Accessories

A<sup>++</sup>

A<sup>+</sup>



## GST/N 360

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
185,5x59,5x59,8  
Gross / Net Volume: 344 lt./ 318 lt.  
Refrigerator / Freezer Net Volume: 228 lt. / 90 lt.

### OPTIONAL FEATURES

Reversible Doors  
Adjustable Tempered Glass Shelves

### STANDARD FEATURES

Double Compressor  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holder  
Transparent Accessories

A<sup>+</sup>



## GN 350

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
185,5x59,5x60

Gross / Net Volume: 324 lt./ 302 lt.

Refrigerator / Freezer Net Volume: 188 lt./114 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Single Compressor  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holder

A<sup>+</sup>



## GN 330

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
171x59,5x60  
Gross / Net Volume: 301 lt./ 279 lt.  
Refrigerator / Freezer Net Volume: 188 lt. / 91 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Single Compressor  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holder

A<sup>+</sup>





## GN 319

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 183x54x61  
Gross / Net Volume: 262 lt./ 239 lt.  
Refrigerator / Freezer Net Volume: 152 lt. / 87 lt.

### OPTIONAL FEATURES

Reversible Doors  
Wine Rack  
Adjustable Door Rack  
Inner Display  
Led Lighting

### STANDARD FEATURES

Frost Free  
Defrost System: Full Automatic  
Reversible Doors  
Leveling Feet  
Removable Door Racks  
Freezer Drawers  
Egg Holders  
Transparent Accessories  
Ice Tray

A<sup>++</sup>

A<sup>+</sup>



## GN 318

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 183x54x61  
 Gross / Net Volume: 262 lt./ 251 lt.  
 Refrigerator / Freezer Net Volume: 152 lt. / 99 lt.

### OPTIONAL FEATURES

Reversible Doors  
 Wine Rack  
 Adjustable Door Rack

### STANDARD FEATURES

Reversible Doors  
 Leveling Feet  
 Removable Door Racks  
 Freezer Drawers  
 Egg Holders  
 Transparent Accessories  
 Ice Tray

A<sup>++</sup>

A<sup>+</sup>



## GN 309

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 170x54x61  
Gross / Net Volume: 242 lt./ 214 lt.  
Refrigerator / Freezer Net Volume: 147 lt. / 67

### OPTIONAL FEATURES

Reversible Doors

### STANDARD FEATURES

Frost Free  
Defrost System: Full Automatic  
Reversible Doors  
Leveling Feet  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holders  
Transparent Accessories





## GN 308

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 170x54x61  
 Gross / Net Volume: 242 lt./ 225 lt.  
 Refrigerator / Freezer Net Volume: 147 lt. / 78 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves

### STANDARD FEATURES

Reversible Doors  
 Leveling Feet  
 Removable Door Racks  
 Freezer Drawers  
 Adjustable Wire Shelves  
 Egg Holder  
 Transparent Accessories





## GN 312

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 170x54x61  
Gross / Net Volume: 251 lt./ 235 lt.  
Refrigerator / Freezer Net Volume: 172 lt. / 63 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Wine Shelf

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holder  
Transparent Accessories





## GN 271

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 152x54x61  
 Gross / Net Volume: 208 lt./ 184 lt.  
 Refrigerator / Freezer Net Volume: 124 lt. / 60

### OPTIONAL FEATURES

Reversible Doors

### STANDARD FEATURES

Frost Free  
 Defrost System: Full Automatic  
 Reversible Doors  
 Leveling Feet  
 Removable Door Racks  
 Freezer Drawers  
 Adjustable Wire Shelves  
 Egg Holders  
 Transparent Accessories





## GN 270

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 152x54x61  
Gross / Net Volume: 208 lt./ 192 lt.  
Refrigerator / Freezer Net Volume: 124 lt. / 68 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holder  
Transparent Accessories







## GN 272

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 152x54x61  
Gross / Net Volume: 213 lt./ 198 lt.  
Refrigerator / Freezer Net Volume: 152 lt. / 46 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holder  
Transparent Accessories





## GST/N 171

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 148x48x56  
Gross / Net Volume: 159 lt./ 140 lt.  
Refrigerator / Freezer Net Volume: 94 lt. / 46 lt.

### OPTIONAL FEATURES

Reversible Doors

### STANDARD FEATURES

Frost Free  
Defrost System: Full Automatic  
Leveling Feet  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holders  
Transparent Accessories

A<sup>+</sup>



## GN 170

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 148x48x56  
 Gross / Net Volume: 155 lt./ 143 lt.  
 Refrigerator / Freezer Net Volume: 92 lt. / 51 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves

### STANDARD FEATURES

Reversible Doors  
 Leveling Feet  
 Removable Door Racks  
 Freezer Drawers  
 Adjustable Wire Shelves  
 Egg Holder  
 Transparent Accessories

A<sup>++</sup>

A<sup>+</sup>



## GN 172

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 148x48x56  
Gross / Net Volume: 161 lt./ 148 lt.  
Refrigerator / Freezer Net Volume: 110 lt. / 38 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Freezer Drawers  
Adjustable Wire Shelves  
Egg Holder  
Transparent Accessories



## Two Door Top-Freezer Models



Top mounted fridge freezer models offer no frost and static cooling technologies with different dimensions, ideal for both large and small families and groups.



## GT/N 585

### TECHNICAL DATA

Product Dimensions 585(HxWxD cm):  
196,2x76x76  
Gross / Net Volume: 585 lt./ 569 lt.  
Refrigerator / Freezer Net Volume:  
444 lt. / 125 lt.

### STANDARD FEATURES

3D No Frost Cooling System  
Easy Control Touch Screen Electronic  
Display  
Elegant Internal Led Lighting  
Freshzone  
Super Freezer Compartment  
Economy Mode for Energy Saving  
Holiday Mode  
Ultra Freeze & Cool  
Door Alarm  
Child Lock





## GT/N 485 E

### TECHNICAL DATA


Product dimensions(HxWxD): 194x70x80  
 Gross / Net Volume: 530/486  
 Refrigerator / Freezer Net Volume: 385 / 101

### OPTIONAL FEATURES

Water Dispenser

### STANDARD FEATURES

No Frost  
 Multi-Flow Cooling System  
 Defrost System: Full Automatic  
 Quick Freezer Compartment  
 Fresh Zone  
 Interior Led Lighting in both Fridge and Freezer  
 Freezer Door Racks  
 Leveling Feet  
 Front & Rear Rollers  
 Egg Holder  
 Adjustable Shelves  
 Icematic  
 Electronic Display  
 Super Freezer & Cool  
 Economy Mode for Energy Saving  
 Holiday Mode







## GT/N 6401

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 182x81x72  
Gross / Net Volume: 532 lt./ 498 lt.  
Refrigerator / Freezer Net Volume: 394 lt. /  
104 lt.

### OPTIONAL FEATURES

Water Dispenser  
Electronic Display  
Super Freezer & Cool  
Economy Mode for Energy Saving  
Holiday Mode  
LED Lighting

### STANDARD FEATURES

No Frost  
3D Cooling System  
Defrost System: Full Automatic  
Quick Freezer Compartment  
Fresh Zone  
Interior Light in both Fridge and Freezer  
Freezer Door Racks  
Leveling Feet  
Front & Rear Rollers  
Egg Holder  
Adjustable Shelves  
Icematic





## GT/N 5401

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 182x76x68  
 Gross / Net Volume: 484 lt./ 457 lt.  
 Refrigerator / Freezer Net Volume: 362 lt. / 95 lt.

### OPTIONAL FEATURES

Electronic Display  
 Super Freezer & Cool  
 Economy Mode for Energy Saving  
 Holiday Mode  
 LED Lighting

### STANDARD FEATURES

No Frost  
 Multi-Flow Cooling System  
 Defrost System: Full Automatic  
 Quick Freezer Compartment  
 Fresh Zone  
 Interior Light in both Fridge and Freezer  
 Freezer Door Racks  
 Leveling Feet  
 Front & Rear Rollers  
 Egg Holder  
 Adjustable Shelves  
 Icematic





## GT/N 4651

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 182x70x68  
Gross / Net Volume: 435 lt./ 412 lt.  
Refrigerator / Freezer Net Volume: 324 lt. / 88 lt.

### OPTIONAL FEATURES

Electronic Display  
Super Freezer & Cool  
Economy Mode for Energy Saving  
Holiday Mode  
LED Lighting

### STANDARD FEATURES

No Frost  
Multi-Flow Cooling System  
Defrost System: Full Automatic  
Quick Freezer Compartment  
Fresh Zone  
Interior Light in both Fridge and Freezer  
Freezer Door Racks  
Leveling Feet  
Front & Rear Rollers  
Egg Holder  
Adjustable Shelves  
Icematic





## GT/N 483

### TECHNICAL DATA

Product dimensions(HxWxD) : 187x70x72  
 Gross / Net Volume: 478 /432  
 Refrigerator / Freezer Net Volume: 335 / 97

### OPTIONAL FEATURES

Electronic Display  
 Interior Led Lighting in Freezer  
 Sliding Icematic  
 Wine Shelf  
 Adjustable Door Rack  
 Water Dispenser

### STANDARD FEATURES

No Frost Multi Cooling  
 Defrost System: Full Automatic  
 Chill Compartment  
 Interior Led Lighting in Fridge  
 Removable Door Racks  
 Freezer Door Racks  
 Leveling Feet  
 Front & Rear Rollers  
 Egg Holder  
 Adjustable Shelves  
 Clean Back





## GT/N 473

### TECHNICAL DATA

Product dimensions(HxWxD) : 183x70x72  
Gross / Net Volume: 478 /432  
Refrigerator / Freezer Net Volume: 335 / 97

### OPTIONAL FEATURES

Electronic Display  
Interior Led Lighting in Freezer  
Sliding Icematic  
Wine Shelf  
Adjustable Door Rack  
Water Dispenser

### STANDARD FEATURES

No Frost Multi Cooling  
Defrost System: Full Automatic  
Chill Compartment  
Interior Led Lighting in Fridge  
Removable Door Racks  
Freezer Door Racks  
Leveling Feet  
Front & Rear Rollers  
Egg Holder  
Adjustable Shelves  
Clean Back





## GT/N 463

### TECHNICAL DATA

Product dimensions(HxWxD): 173x70x72  
 Gross / Net Volume: 445 /400  
 Refrigerator / Freezer Net Volume: 303 / 97

### OPTIONAL FEATURES

Interior Led Lighting in Freezer  
 Sliding Icematic  
 Wine Shelf  
 Adjustable Door Rack

### STANDARD FEATURES

No Frost Multi Cooling  
 Defrost System: Full Automatic  
 Chill Compartment  
 Interior Led Lighting in Fridge  
 Removable Door Racks  
 Freezer Door Racks  
 Leveling Feet  
 Front & Rear Rollers  
 Egg Holder  
 Adjustable Shelves  
 Clean Back







## GT/N 3702

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
170x59,5x68

Gross / Net Volume: 341 lt./ 328 lt.

Refrigerator / Freezer Net Volume: 271 lt. / 57 lt.

### OPTIONAL FEATURES

Fresh Zone  
LED Lighting

### STANDARD FEATURES

No Frost  
Multi-Flow Cooling System  
Defrost System: Full Automatic  
Leveling Feet  
Removable Door Racks  
Bottle Racks  
Egg Holder  
Adjustable Shelves







## GT/N 555

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 182x70x75  
 Gross / Net Volume: 528 lt./ 521 lt.  
 Refrigerator / Freezer Net Volume: 403 lt. / 118 lt.

### OPTIONAL FEATURES

Turbo Fan-Air Cooling  
 Adjustable Tempered Glass Shelves  
 Transparent Accessories  
 Additional Crisper

### STANDARD FEATURES

Reversible Doors  
 Leveling Feet  
 Front and Rear Rollers  
 Freezer Shelf  
 Removable Door Racks  
 Bottle Rack  
 Adjustable Wire Shelves  
 Egg Holder





## GT/N 4561

### TECHNICAL DATA

Product Dimensions (HxWxD cm):

182x70x63,5

Gross / Net Volume: 420 lt./ 415 lt.

Refrigerator / Freezer Net Volume: 326 lt. / 89 lt.

### OPTIONAL FEATURES

Turbo Fan-Air Cooling

Adjustable Tempered Glass Shelves

Transparent Accessories

Additional Crisper

### STANDARD FEATURES

Reversible Doors

Leveling Feet

Front and Rear Rollers

Freezer Shelf

Removable Door Racks

Bottle Rack

Adjustable Wire Shelves

Egg Holder





## GT/N 453

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 183x70x65  
 Gross / Net Volume: 439 lt./ 436 lt.  
 Refrigerator / Freezer Net Volume: 320 lt. /  
 116 lt.

### OPTIONAL FEATURES

Turbo Fan-Air Cooling  
 Adjustable Tempered Glass Shelves  
 Additional Crisper  
 Adjustable Door Rack  
 Humidity Controlled Crisper

### STANDARD FEATURES

Reversible Doors  
 Interior LED Lighting  
 Leveling Feet  
 Front and Rear Rollers  
 Freezer Shelf  
 Removable Door Racks  
 Bottle Rack  
 Egg Holder

A<sup>++</sup>

A<sup>+</sup>

A



## GN 400

### TECHNICAL DATA

Product Dimensions (HxWxD cm):

180,5x59,5x60

Gross / Net Volume: 342 lt./ 337 lt.

Refrigerator / Freezer Net Volume: 267 lt. / 70 lt.

### OPTIONAL FEATURES

Turbo Fan-Air Cooling

Adjustable Tempered Glass Shelves

Transparent Accessories

### STANDARD FEATURES

Reversible Doors

Leveling Feet

Rear Rollers

Freezer Shelf

Removable Door Racks

Bottle Rack

Adjustable Wire Shelves

Egg Holder

A<sup>+</sup>



## GT/N 3451

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
170,5x59,5x60  
Gross / Net Volume: 310 lt./ 305 lt.  
Refrigerator / Freezer Net Volume: 242 lt. / 63 lt.

### OPTIONAL FEATURES

Turbo Fan-Air Cooling  
Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Rear Rollers  
Freezer Shelf  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelves  
Egg Holder





## GT/N 2801

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
160x54x59,5

Gross / Net Volume: 256 lt./ 253 lt.

Refrigerator / Freezer Net Volume: 211 lt. / 42 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Rear Rollers  
Freezer Shelf  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelves  
Egg Holder





## GST/N 2601

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
144x54x59,5  
Gross / Net Volume: 230 lt./ 227 lt.  
Refrigerator / Freezer Net Volume: 187 lt. / 40 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Rear Rollers  
Freezer Shelf  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelves  
Egg Holder







## GT/N 263

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 144x54x57  
Gross / Net Volume: 216 lt./ 213 lt.  
Refrigerator / Freezer Net Volume: 171 lt. / 42 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Adjustable Door Rack

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Rear Rollers  
Freezer Shelf  
Removable Door Racks  
Bottle Rack  
Egg Holder  
Transparent Accessories





## GT/N 2301

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
118x54x59,5  
Gross / Net Volume: 175 lt./ 172 lt.  
Refrigerator / Freezer Net Volume: 132 lt. / 40 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Rear Rollers  
Freezer Shelf  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelves  
Egg Holder



## Single Door Models



Single door models coming with and without freezer compartment options.



## GT/N 3951

### TECHNICAL DATA

Product Dimensions (HxWxD cm):

185x59,5x63

Gross / Net Volume: 353 lt. / 350 lt.

### STANDARD FEATURES

Reversible Doors

Leveling Feet

Removable Door Racks

Bottle Rack

Adjustable Wire Shelves

Egg Holder

### OPTIONAL FEATURES

Electronic Display

Water Dispenser (only for electronic version)

Adjustable Tempered Glass Shelves

Transparent Accessories

Turbo Fan Air Cooling

Additional Crispers





## GT/N 325

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
155,5x59,5x63  
Gross / Net Volume: 288 lt. / 285 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories  
Turbo Fan Air Cooling

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelves  
Egg Holder





## GT/N 265

### TECHNICAL DATA

Product Dimensions (HxWxD cm):

144x54x59,5

Gross / Net Volume: 253 lt. / 250 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Bottle Racks  
Adjustable Wire Shelves  
Egg Holder





## GT/N 250

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
123,5x54x56  
Gross / Net Volume: 206 lt. / 204 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Bottle Racks  
Adjustable Wire Shelves  
Egg Holder

A<sup>+</sup>





## GT/N 425

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
173x70x63,5  
Gross / Net Volume: 405 lt. / 381 lt.  
Refrigerator / Freezer Net Volume: 341 lt. / 40 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Rear Rollers  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelves  
Egg Holder  
Turbo Fan Air Cooling

A<sup>+</sup>



## GT/N 340

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
172x59,5x60

Gross / Net Volume: 323 lt. / 311 lt.

Refrigerator / Freezer Net Volume: 281 lt. / 30 lt.

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelves  
Egg Holder  
Turbo Fan Air Cooling





## GT/N 255

### TECHNICAL DATA

Product Dimensions (HxWxD cm):

144x54x59,5

Gross / Net Volume: 230 lt. / 226 lt.

Refrigerator / Freezer Net Volume: 206 lt. / 20 lt.

Star Rating: \*\*\*\*

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves

Transparent Accessories

### STANDARD FEATURES

Reversible Doors

Leveling Feet

Removable Door Racks

Bottle Racks

Adjustable Wire Shelves

Egg Holder

A<sup>+</sup>



## GN 240

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
123,5x54x56

Gross / Net Volume: 195 lt. / 192 lt.

Refrigerator / Freezer Net Volume: 175 lt. / 17 lt.

Star Rating: \*\*\*

### OPTIONAL FEATURES

Adjustable Tempered Glass Shelves  
Transparent Accessories

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Dairy Compartment  
Removable Door Racks  
Bottle Racks  
Adjustable Wire Shelves  
Egg Holder

A<sup>+</sup>

## Freezer Models



Single door freezer models with different dimensions offering both no frost and static cooling technologies.



## GT 391 / GT 390

### TECHNICAL DATA

Product Dimensions (HxWxD cm):

186x59,5x63

Gross / Net Volume:

GN 391: 265 lt / 251 lt

GN 390: 286 lt / 258 lt

### STANDARD FEATURES

No Frost Cooling: GN 391

Direct Cooling: GN 390

Electronic Control (GN 391)

Reversible Doors

Leveling Feet

7 Freezer Compartments

Big Box

### OPTIONAL FEATURES

Electronic Display (391 model only)

Transparent Accessories

Twisted Icematic





## GT 321 / GT 320

### TECHNICAL DATA

Product Dimensions (HxWxD cm):

155,5x59,5x63

Gross / Net Volume:

GN 321: 225 lt / 194 lt

GN 320: 232 lt / 206 lt

### STANDARD FEATURES

No Frost Cooling: GN 321

Direct Cooling: GN 320

Electronic Control (GN 321)

Reversible Doors

Leveling Feet

6 Freezer Compartments

### OPTIONAL FEATURES

Transparent Accessories







## GT/SN 243 / GT/SN 2451

### TECHNICAL DATA

Product Dimensions (HxWxD cm):  
145,5x54x59,5  
Gross / Net Volume:  
GN 243: 210 lt / 175 lt  
GN 2451: 210 lt / 182 lt

### OPTIONAL FEATURES

Drawers with add-on  
Five drawers + 1 flat  
LED Lighting (243 model only)

### STANDARD FEATURES

No-frost Cooling (243 model only)  
Reversible Doors  
Leveling Feet  
Freezer Drawers  
Quick Freeze Compartment



## Table Top Models

Small size under counter models with fridge freezer, freezer and larder options.





## GT/N 1501

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 84x54x59,5  
Gross / Net Volume: 107 lt. / 106 lt.

### OPTIONAL FEATURES

Glass Shelf

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelves





## GT/N 1451

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 84x54x61,5  
Gross / Net Volume: 80 lt. / 71 lt.

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Freezer Drawers  
Transparent Freezer Compartments





## GN 140

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 84x54x59,5  
Gross / Net Volume: 119 lt. / 117 lt.  
Refrigerator / Freezer Net Volume: 105 lt / 12 lt  
Star Rating: \*\*\*\* \*

### OPTIONAL FEATURES

Glass Shelf

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelf





## GT/N 1002

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 82x48x50  
Gross / Net Volume: 91 lt. / 89 lt.

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Bottle Rack  
Transparent Accessories

A<sup>+</sup>



## GT/N 1005

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 82x48x51  
Gross / Net Volume: 64 lt. / 63 lt.

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Freezer Drawers  
Transparent Freezer Compartments







## GT/N 1001

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 82x48x50  
Gross / Net Volume: 91 lt. / 88 lt.

### OPTIONAL FEATURES

Glass Shelf

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Removable Door Racks  
Bottle Rack  
Adjustable Wire Shelf





## GN 1101

### TECHNICAL DATA

Product Dimensions (HxWxD cm): 84x48x56  
Gross / Net Volume: 84 lt. / 81 lt.  
Refrigerator / Freezer Net Volume: 73 lt / 8 lt  
Star Rating: \*\*

### OPTIONAL FEATURES

Glass Shelf

### STANDARD FEATURES

Reversible Doors  
Leveling Feet  
Fixed Door Racks  
Bottle Rack  
Adjustable Wire Shelf



2 DOORS TOP FREEZERS																	
Model		473E			483M	4561			4561 TURBO		453	555	555 TURBO			400	
Refrigerator Class		7			7	7			7		7	7	7			7	
Climatic Class		GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)	GN (16 °C-32°C)	GST/N (16 °C-38°C)	GT/N (16 °C-43°C)	GT/N (16 °C-43°C)		GT/SN (10 °C-43°C)	RT/N (16 °C-43°C)	GT/N (16 °C-43°C)			GN (16 °C-32°C)	GT/N (16 °C-43°C)
Energy Class		A+++	A++	A+	A+	A+	A++	A	A++	A+	A+	B	A+	A	B	A+	B
Volume Total(gross)	lt	478	478	478	496	420	420	420	420	420	439	528	528	528	528	342	342
Volume Total(net)	lt	432	432	432	451	415	415	415	414	414	436	521	520	520	520	337	337
Volume Refrigerator (gross)	lt	353	353	353	371	330	330	330	330	330	322	408	408	408	408	271	271
Volume Refrigerator (net)	lt	335	335	335	354	326	326	326	325	325	320	403	402	402	402	267	267
Volume Freezer(gross)	lt	27	27	27	27	-	-	-	-	-	-	-	-	-	-	-	-
Volume Freezer(net)	lt	125	125	125	125	90	90	90	90	90	117	120	120	120	120	71	71
Chiller Volume(net)	lt	97	97	97	97	89	89	89	89	89	116	118	118	118	118	70	70
Performance(star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Energy Consumption	kWh/24h	0,542	0,816	1,038	1,060	0,809	0,559	1,181	0,708	0,901	0,956	1,871	1,050	1,368	1,874	0,721	1,412
Energy Consumption	kWh/year	198	298	379	387	295	204	431	258	329	349	683	383	499	684	263	515
Freezing Capacity	kg/24h	5	5	5	5	5	5	5	5	5	TBD	6	6	6	6	3,5	3,5
Temperature Rise Time(-18oC to -9oC)	mins	1020	960	960	960	1020	1020	1020	1020	1020	TBD	1020	1248	1248	1248	1140	960
Noise Emission	dB (A)	TBD	43	42	TBD	41	TBD	43	42	42	TBD	45	42	43	45	42	42
Defrost System Type Fridge/Freezer		Automatic	Automatic	Automatic	Automatic	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product Dimensions(WxDxH)	mm	700x720x1830	700x720x1830	700x720x1830	700x720x1870	700x635x1818	700x635x1818	700x635x1818	700x635x1818	700x635x1818	700x650x1830	700x753x1818	700x753x1818	700x753x1818	700x753x1818	595x598x1805	595x598x1805
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	768x801x1907	768x801x1907	768x801x1907	768x828x1947	769x702x1891	769x702x1891	769x702x1891	769x702x1891	769x702x1891	769x717x1903	772x825x1905	772x825x1905	772x825x1905	772x825x1905	664x668x1879	664x668x1879
Loading Quantity / 40ft HC	pcs	60	60	60	60	69	69	69	69	69	66	56	56	56	56	73	73
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R134	R600a	R600a	R600a	R600a	R600a

2 DOORS TOP FREEZERS																			
Model		3451 V			3451 GK			3451 TURBO		2801		2801 TURBO		2601					
Refrigerator Class		7			7			7		7		7		7					
Climatic Class		GN (16 °C-32°C)	GST/N (16 °C-38°C)	GT/N (16 °C-43°C)	GN (16 °C-32°C)	GT/N (16 °C-43°C)	GST/N (16 °C-38°C)	GT/SN (10 °C-43°C)		GN (16 °C-32°C)		GT/N (16 °C-43°C)		GT/N (16 °C-43°C)	GSN (10 °C-32°C)	GN (16 °C-32°C)	GST/N (16 °C-38°C)	GT/N (16 °C-43°C)	
Energy Class		A+	A++	A	A+	A	A++	A++	A+	A+	A+	B	A+	A+	A+	A+	A+	B	
Volume Total(gross)	lt	310	310	310	310	310	310	310	310	256	256	256	256	256	230	230	230	230	
Volume Total(net)	lt	305	305	305	305	305	305	304	304	253	253	253	253	252	227	227	227	227	
Volume Refrigerator (gross)	lt	246	246	246	246	246	246	246	246	213	213	213	213	213	189	189	189	189	
Volume Refrigerator (net)	lt	242	242	242	242	242	242	241	241	211	211	211	211	210	187	187	187	187	
Volume Freezer(gross)	lt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Volume Freezer(net)	lt	64	64	64	64	64	64	64	64	43	43	43	43	43	41	41	41	41	
Chiller Volume(net)	lt	63	63	63	63	63	63	63	63	42	42	42	42	42	40	40	40	40	
Performance(star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
Energy Consumption	kWh/24h	0,683	0,564	0,984	0,683	0,984	0,564	0,589	0,751	0,483	0,616	0,671	1,198	0,669	0,591	0,591	0,482	0,614	1,145
Energy Consumption	kWh/year	249	206	359	249	359	206	215	274	176	225	245	437	244	216	216	176	224	418
Freezing Capacity	kg/24h	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	2	2	2	2	2	2	2	2	2	
Temperature Rise Time (-18oC to -9oC)	mins	1150	1150	1150	1150	1150	1150	1150	1150	1290	1290	1290	1290	1290	850	850	700	700	700
Noise Emission	dB (A)	42	42	42	42	42	42	TBD	42	42	40	42	42	42	41	41	42	41	43
Defrost System Type Fridge/Freezer		Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	Automatic/ Manual	
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	
Product Dimensions(WxDxH)	mm	595x598x1700	595x598x1700	595x598x1700	595x598x1705	595x598x1705	595x598x1705	595x598x1705	595x598x1705	540x595x1600	540x595x1600	540x595x1600	540x595x1600	540x595x1600	540x595x1440	540x595x1440	540x595x1440	540x595x1440	540x595x1440
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x668x1779	664x668x1779	664x668x1779	664x668x1779	664x668x1779	664x668x1779	664x668x1779	664x668x1779	578x632x1669	578x632x1669	578x632x1669	578x632x1669	578x632x1669	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509
Loading Quantity / 40ft HC	pcs	74	74	74	74	74	74	74	74	102	102	102	102	102	128	128	128	128	128
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	

SPECIFICATIONS

2 DOORS TOP FREEZERS					
Model		263	2301		
Refrigerator Class		7	7		
Climatic Class		GN (16 °C-32°C)	GST/N (16 °C-38°C)		GT/N (16 °C-43°C)
Energy Class		A+	A++	A+	A
Volume Total(gross)	lt	216	175	175	175
Volume Total(net)	lt	213	172	172	172
Volume Refrigerator (gross)	lt	173	134	134	134
Volume Refrigerator (net)	lt	171	132	132	132
Volume Freezer(gross)	lt	-	-	-	-
Volume Freezer(net)	lt	43	41	41	41
Chiller Volume(net)	lt	42	40	40	40
Performance(star rating)		4	4	4	4
Energy Consumption	kWh/24h	0,580	0,441	0,562	0,762
Energy Consumption	kWh/year	212	161	205	278
Freezing Capacity	kg/24h	2	2,5	2,5	2,5
Temperature Rise Time (-18oC to -9oC)	mins	850	1080	1080	1080
Noise Emission	dB (A)	41		42	42
Defrost System Type Fridge/Freezer		Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual
Built in		NO	NO	NO	NO
Product Dimensions(WxDxH)	mm	540X570X1440	540X595X1179	540X595X1179	540X595X1179
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	578x600x1509	578x632x1238	578x632x1238	578x632x1238
Loading Quantity / 40ft HC	pcs	134	152	152	152
Refrigerating Gas		R600a	R600a	R600a	R600a

MULTI DOORS						
Model		910	911	916		850 (E6D)
Refrigerator Class		7	7	7		7
Climatic Class		GT/N (16 °C-43°C)	GT/N (16 °C-43°C)	GT/N (16 °C-43°C)		GT/SN (10 °C-43°C)
Energy Class		A+	A+	A++	A+	A
Volume Total(gross)	lt	620	645	620	620	820
Volume Total(net)	lt	526	529	526	526	713
Volume Refrigerator (gross)	lt	410	410	410	410	498
Volume Refrigerator (net)	lt	362	362	362	362	466
Volume Freezer(gross)	lt	38	38	38	38	-
Volume Freezer(net)	lt	210	235	210	210	322
Chiller Volume(net)	lt	164	167	164	164	247
Performance(star rating)		4star	4star	4star	4star	4*=216 2*=31
Energy Consumption	kWh/24h	1,257	1,264	0,986	1,257	1,640
Energy Consumption	kWh/year	459	461	360	459	599
Freezing Capacity	kg/24h	18	20	13	13	13
Temperature Rise Time (-18oC to -9oC)	mins	770	1451	740	740	740
Noise Emission	dB (A)	45	45	46	46	46
Defrost System Type Fridge/Freezer		Frost Free	Frost Free	Frost Free	Frost Free	Frost Free
Built in		NO	NO	NO	NO	NO
Product Dimensions(WxDxH)	mm	910x750x1850	910x763x1850	910x750x1850	910x750x1850	910x750x1850
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	1025x858x1950	1025x878x1950	1025x858x1950	1025x858x1950	1025x858x1950
Loading Quantity / 40ft HC	pcs	28	26	28	28	28
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a

2 DOORS BOTTOM FREEZERS																			
Model		466M			466E			566M			566E			566E SLINE					
Refrigerator Class		7			7			7			7			7					
Climatic Class		GT/N (16 °C-43°C)						GT/N (16 °C-43°C)						GT/N (16 °C-43°C)					
Energy Class		A++	A+	A	A++	A+	A	A++	A+	A	A++	A+	A	A++	A+	A			
Volume Total(gross)	lt	389	389	389	389	389	389	508	508	508	508	508	508	508	508	508			
Volume Total(net)	lt	357	357	357	357	357	357	455	455	455	455	455	455	455	455	455			
Volume Refrigerator (gross)	lt	285	285	285	285	285	285	374	374	374	374	374	374	374	374	374			
Volume Refrigerator (net)	lt	260	260	260	260	260	260	351	351	351	351	351	351	351	351	351			
Volume Freezer(gross)	lt	31	31	31	31	31	31	39	39	39	39	39	39	39	39	39			
Volume Freezer(net)	lt	104	104	104	104	104	104	134	134	134	134	134	134	134	134	134			
Chiller Volume(net)	lt	97	97	97	97	97	97	104	104	104	104	104	104	104	104	104			
Performance(star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4			
Energy Consumption	kWh/24h	0,754	0,959	1,258	0,754	0,959	1,258	0,847	1,079	1,414	0,847	1,079	1,414	0,847	1,079	1,414			
Energy Consumption	kWh/year	275	350	459	275	350	459	309	394	516	309	394	516	309	394	516			
Freezing Capacity	kg/24h	12	12	8	12	12	8	14	14	14	14	14	14	14	14	14			
Temperature Rise Time(-18oC to -9oC)	mins	900	900	900	900	900	900	1260	1260	1260	1260	1260	1260	1260	1260	1260			
Noise Emission	dB (A)	45	45	45	45	45	45	44	44	44	44	44	44	44	44	44			
Defrost System Type Fridge/Freezer		Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic			
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO			
Product Dimensions(WxDxH)	mm	700x635x1868	700x635x1868	700x635x1868	700x635x1868	700x635x1868	700x635x1868	700x735x1868	700x735x1868	700x735x1868	700x735x1868	700x735x1868	700x740x1865	700x740x1865	700x740x1865				
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	768x700x1932	768x700x1932	768x700x1932	768x700x1932	768x700x1932	768x700x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932				
Loading Quantity / 40ft HC	pcs	51	51	51	51	51	51	45	45	45	45	45	45	45	45				
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a				

2 DOORS BOTTOM FREEZERS																				
Model	566M SLINE				566E BLACKLINE				566M GALAXY		171	271			566E1E			3664M	3664E	383E
Refrigerator Class	7				7				7		7	7			7			7	7	7
Climatic Class	GT/N (16 °C-43°C)				GT/N (16 °C-43°C)				GT/N (16 °C-43°C)		GT/N (16 °C-38°C)	GT/N (16 °C-38°C)	GN (16 °C-32°C)	GT/N (16 °C-43°C)			GT/N (16 °C-43°C)	GT/N (16 °C-43°C)	GT/SN (10 °C-43°C)	
Energy Class	A++	A+	A	A	A+	A	A+	A	A+	A++	A+	A++	A++	A++	A+	A+	A+	A+	A+	
Volume Total(gross)	lt 508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	
Volume Total(net)	lt 455	455	455	455	455	455	455	455	455	455	455	455	455	455	455	455	455	455	455	
Volume Refrigerator (gross)	lt 374	374	374	374	374	374	374	374	374	374	374	374	374	374	374	374	374	374	374	
Volume Refrigerator (net)	lt 351	351	351	351	351	351	351	351	351	351	351	351	351	351	351	351	351	351	351	
Volume Freezer(gross)	lt 39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	39	
Volume Freezer(net)	lt 134	134	134	134	134	134	134	134	134	63	82	82	122	122	122	98	98	104	104	
Chiller Volume(net)	lt 104	104	104	104	104	104	104	104	104	46	60	60	95	95	95	87	87	94	94	
Performance(star rating)	4	4	4	4	4	4	4	4	4	4*	4*	4*	4	4	4	4	4	4	4	
Energy Consumption	kWh/24h 0,847	1,079	1,414	1,079	1,414	1,079	1,414	1,079	1,414	0,556	0,488	0,597	0,546	0,819	1,043	0,836	0,836	0,75	0,956	
Energy Consumption	kWh/year 309	394	516	394	516	394	516	394	516	203	178	218	199	299	381	305	305	274	349	
Freezing Capacity	kg/24h 14	14	14	14	14	14	14	14	14	2	TBD	3	16	16	16	4,2	4,2	5 (draft)	5 (draft)	
Temperature Rise Time(-18oC to -9oC)	mins 1260	1260	1260	1260	1260	1260	1260	1260	1260	575	TBD	655	1380	1080	1080	780(25°C)/600(32°C)	780(25°C)/600(32°C)	900 (draft)	900 (draft)	
Noise Emission	dB (A) 44	44	44	44	44	44	44	44	44	42	42	42	44	43		45	45	42 (draft)	42 (draft)	
Defrost System Type Fridge/Freezer	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	
Built in	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	
Product Dimensions(WxDxH)	mm 700x740x1865	700x740x1865	700x740x1865	700x770x1865	700x770x1865	700x770x1865	700x770x1865	700x770x1865	700x770x1865	480x560x1480	540x610x1520	540x610x1520	700x735x1868	700x735x1868	700x735x1868	595x632,5x1855	595x632,5x1855	595x650x2010	595x650x2010	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm 768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	519x571x1518	578x632x1572	578x632x1572	768x800x1932	768x800x1932	768x800x1932	664x713x1916	664x713x1916	664x728x2063	664x728x2063	
Loading Quantity / 40ft HC	pcs 42	42	42	42	42	42	42	42	42	152	102	102	45	45	45	72	72	54	54	
Refrigerating Gas	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	

2 DOORS BOTTOM FREEZERS																			
Model	383M		373E		373M		373E W/O CHILLER	373M W/O CHILLER	309		319	318	353E		353M		380		
Refrigerator Class	7		7		7		7	7	7		7	7	7		7		7		
Climatic Class	GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)	GT/SN (10 °C-43°C)	GN (16 °C-32°C)		GN (16 °C-32°C)	GN (16 °C-32°C)	GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)		GT/SN (10 °C-38°C)		
Energy Class	A++	A+	A++	A+	A++	A+	A+	A+	A++	A+	A+	A+	A++	A+	A++	A+	A+	A+	
Volume Total(gross)	lt 379	379	341	341	341	341	341	341	242	242	262	262	339	339	339	339	362	362	
Volume Total(net)	lt 360	360	324	324	324	324	324	324	214	214	239	251	313	313	313	313	338	338	
Volume Refrigerator (gross)	lt 275	275	237	237	237	237	237	237	149	149	153	153	209	209	209	209	228	228	
Volume Refrigerator (net)	lt 266	266	230	230	230	230	230	230	147	147	152	152	202	202	202	202	224	224	
Volume Freezer(gross)	lt 22	22	22	22	22	22	-	-	-	-	-	-	22	22	22	22	-	-	
Volume Freezer(net)	lt 104	104	104	104	104	104	104	104	93	93	109	109	130	130	130	130	134	134	
Chiller Volume(net)	lt 94	94	94	94	94	94	94	94	67	67	87	99	111	111	111	111	114	114	
Performance(star rating)	4	4	4	4	4	4	4	4	4*	4*	4*	4*	4	4	4	4	4	4	
Energy Consumption	kWh/24h 0,75	0,956	0,720	0,917	0,720	0,917	0,852	0,852	0,497	0,633	0,682	TBD	0,734	0,935	0,734	0,935	0,808	0,808	
Energy Consumption	kWh/year 274	349	263	335	263	335	311	311	181	231	249	TBD	268	341	268	341	295	295	
Freezing Capacity	kg/24h 5 (draft)	5 (draft)	12	12	12	12	10	10	3	3	4	TBD	8	8	8	8	13	13	
Temperature Rise Time(-18oC to -9oC)	mins 900 (draft)	900 (draft)	1080	1080	1080	1080	1080	1080	575	760	805	TBD	1080	1080	1080	1080	655/840	655/840	
Noise Emission	dB (A) 42 (draft)	42 (draft)	42	42	42	42	42	42	43	43	43	TBD	42	42	42	42	44	44	
Defrost System Type Fridge/Freezer	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	
Built in	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	
Product Dimensions(WxDxH)	mm 595x650x2010	595x650x2010	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595x650x1860	540x610x1700	540x610x1700	540x610x1830	540x610x1830	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595x650x1860
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm 664x728x2063	664x728x2063	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x728x1916	578x632x1752	578x632x1752	578x632x1882	578x632x1882	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x668x2062,5
Loading Quantity / 40ft HC	pcs 54	54	72	72	72	72	72	72	96	96	95	95	72	72	72	72	54	54	
Refrigerating Gas	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

SPECIFICATIONS

2 DOORS BOTTOM FREEZERS																	
Model		385		3651		360		350		330		310		170		172	
Refrigerator Class		7		7		7		7		7		7		7		7	
Climatic Class		GN (16 °C-32°C)		GT/N (16 °C-43°C)		GST/N (16 °C-38°C)		GST/N (16 °C-38°C)		GN (16 °C-32°C)		GST/N (16 °C-38°C)		GN (16 °C-32°C)		GN (16 °C-32°C)	
Energy Class		A+ (2*)		A		A++		A+		A+		A+		A++		A+	
Volume Total(gross)	lt	362		362		313		344		324		301		155		161	
Volume Total(net)	lt	338		338		290		318		302		279		143		148	
Volume Refrigerator (gross)	lt	228		228		214		234		190		159		93		112	
Volume Refrigerator (net)	lt	224		224		209		228		188		157		92		110	
Volume Freezer(gross)	lt	-		-		-		-		-		-		-		-	
Volume Freezer(net)	lt	134		134		99		110		134		111		62		49	
Chiller Volume(net)	lt	4*=100 2*=14		114		81		90		4*=100 2*=14		91		87		38	
Performance(star rating)		4		4		4		4		4		4		4*		4*	
Energy Consumption	kWh/24h	0,762		1,106		0,568		0,724		0,772		0,691		0,684		0,517	
Energy Consumption	kWh/year	278		404		207		264		282		250		151		189	
Freezing Capacity	kg/24h	5,5		5,5		4,5		11,5		8		6		2,5		2	
Temperature Rise Time(-18oC to -9oC)	mins	1000		660		840		1020		930		908		720		518	
Noise Emission	dB (A)	44		44		42		41		44		43		42		40	
Defrost System Type Fridge/Freezer		Automatic/Manual		Automatic/Manual		Automatic/Manual		Automatic/Manual		Automatic/Manual		Automatic/Manual		Automatic/Manual		Automatic/Manual	
Built in		NO		NO		NO		NO		NO		NO		NO		NO	
Product Dimensions(WxDxH)	mm	595X598X2002		595X598X2002		595X614X1855		595X614X1855		595X598X1855		595X598X1855		595X598X1855		595X598X1855	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x668x2062,5		664x668x2062,5		664x668x1916		664x668x1916		664x668x1916		664x668x1916		664x668x1783		519x588x1522	
Loading Quantity / 40ft HC	pcs	54		54		72		72		72		74		96		152	
Refrigerating Gas		R600a		R600a		R600a		R600a		R600a		R600a		R600a		R600a	

2 DOORS BOTTOM FREEZERS									
Model		270		272		308		312	
Refrigerator Class		7		7		7		7	
Climatic Class		GN (16 °C-32°C)		GN (16 °C-32°C)		GN (16 °C-32°C)		GN (16 °C-32°C)	
Energy Class		A++		A+		A++		A+	
Volume Total(gross)	lt	208		208		213		242	
Volume Total(net)	lt	192		192		198		225	
Volume Refrigerator (gross)	lt	126		126		156		149	
Volume Refrigerator (net)	lt	124		124		152		147	
Volume Freezer(gross)	lt	-		-		-		-	
Volume Freezer(net)	lt	82		82		57		93	
Chiller Volume(net)	lt	68		68		46		78	
Performance(star rating)		4*		4*		4*		4*	
Energy Consumption	kWh/24h	0,460		0,589		0,449		0,569	
Energy Consumption	kWh/year	168		215		164		229	
Freezing Capacity	kg/24h	3,5		3,5		2,5		4	
Temperature Rise Time(-18oC to -9oC)	mins	825		825		750		1000	
Noise Emission	dB (A)	39		39		39		41	
Defrost System Type Fridge/Freezer		Automatic/Manual		Automatic/Manual		Automatic/Manual		Automatic/Manual	
Built in		NO		NO		NO		NO	
Product Dimensions(WxDxH)	mm	540x610x1520		540x610x1520		540x610x1520		540x610x1700	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	578x632x1572		578x632x1572		578x632x1572		578x632x1752	
Loading Quantity / 40ft HC	pcs	102		102		102		96	
Refrigerating Gas		R600a		R600a		R600a		R600a	

FREEZERS					
Model		391E			
Refrigerator Class		8			
Climatic Class		GT/N (16 °C-43°C)			
Energy Class		A++		A	
Volume Total(gross)	lt	265		265	
Volume Total(net)	lt	251		251	
Volume Refrigerator (gross)	lt	0		0	
Volume Refrigerator (net)	lt	0		0	
Volume Freezer(gross)	lt	-		-	
Volume Freezer(net)	lt	265		265	
Chiller Volume(net)	lt	251		251	
Performance(star rating)		4		4	
Energy Consumption	kWh/24h	0,661		0,842	
Energy Consumption	kWh/year	241		307	
Freezing Capacity	kg/24h	14(32°C)/15(25°C)		14(32°C)/15(25°C)	
Temperature Rise Time(-18oC to -9oC)	mins	480/570		480/570	
Noise Emission	dB (A)	45		44	
Defrost System Type Fridge/Freezer		Automatic		Automatic	
Built in		NO		NO	
Product Dimensions(WxDxH)	mm	595x634x1868		595x634x1868	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x703x1916		664x703x1916	
Loading Quantity / 40ft HC	pcs	72		72	
Refrigerating Gas		R600a		R600a	

FREEZERS																	
Model		390				321E				320				2451			243
Refrigerator Class		8				8				8				8			8
Climatic Class		GT/SN (10 °C-43°C)				GT/N (16 °C-43°C)				GT/SN (10 °C-43°C)				GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)
Energy Class		A++	A+	A	B	A++	A+	A	B	A++	A+	A	B	A++	A+	A	A+
Volume Total(gross)	lt	286	286	286	286	225	225	225	225	232	232	232	210	210	210	210	210
Volume Total(net)	lt	258	258	258	258	194	194	194	194	206	206	206	182	182	182	182	175
Volume Refrigerator (gross)	lt	-	-	-	-	0	0	0	0	-	-	-	0	0	0	0	0
Volume Refrigerator (net)	lt	-	-	-	-	0	0	0	0	-	-	-	0	0	0	0	0
Volume Freezer(gross)	lt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Volume Freezer(net)	lt	286	286	286	286	225	225	225	225	232	232	232	210	210	210	210	210
Chiller Volume(net)	lt	258	258	258	258	194	194	194	194	206	206	206	182	182	182	182	175
Performance(star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Energy Consumption	kWh/24h	0,608	0,772	1,013	1,383	0,576	0,734	0,952	1,302	0,542	0,690	0,904	0,509	0,652	0,854	0,695	0,695
Energy Consumption	kWh/year	222	282	370	505	210	268	348	475	198	252	330	186	238	312	254	254
Freezing Capacity	kg/24h	26	22(32°C) / 26(25°C)	22(32°C) / 26(25°C)	22(32°C) / 26(25°C)	16	16	16	16	24	22(32°C) / 24(25°C)	22	15	15	15	15	15
Temperature Rise Time(-18oC to -9oC)	mins	960	840(32°C) / 960(25°C)	840(32°C) / 960(25°C)	840(32°C) / 960(25°C)	510/600	510/600	510	510	1080	1080	1080	780	780	780	600	600
Noise Emission	dB (A)	43	39	40	43	44	43	43	43	43	39	43	41	41	41	43	43
Defrost System Type Fridge/Freezer		Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Automatic
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product Dimensions(WxDxH)	mm	595x632,5x1855	595x632,5x1855	595x632,5x1855	595x632,5x1855	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	540x595x1455	540x595x1455	540x595x1455	540x595x1455	540x595x1455
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509
Loading Quantity / 40ft HC	pcs	72	72	72	72	78	78	78	78	78	78	78	128	128	128	128	128
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

SINGLE DOORS																			
Model		3951E TURBO		3951M TURBO		243	391E				390				325	325 TURBO			
Refrigerator Class		1		1		8	8				8				8	1			
Climatic Class		GST/N (16 °C-38°C)		GT/N (16 °C-43°C)		GT/SN (10 °C-43°C)	GT/N (16 °C-43°C)				GT/SN (10 °C-43°C)				GN (16 °C-32°C)	GT/SN (16 °C-38°C)		GT/N (16 °C-43°C)	
Energy Class		A++	A+	A++	A+	A+	A++	A+	A	B	A++	A+	A	B	A	A++	A+	B	
Volume Total(gross)	lt	353	353	353	353	210	265	265	265	265	286	286	286	286	288	288	288	288	
Volume Total(net)	lt	349	349	349	349	175	251	251	251	251	258	258	258	258	285	284	284	284	
Volume Refrigerator (gross)	lt	353	353	353	353	0	0	0	0	0	-	-	-	-	288	288	288	288	
Volume Refrigerator (net)	lt	349	349	349	349	0	0	0	0	0	-	-	-	-	285	284	284	284	
Volume Freezer(gross)	lt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Volume Freezer(net)	lt	-	-	-	-	210	265	265	265	265	286	286	286	286	-	-	-	-	
Chiller Volume(net)	lt	-	-	-	-	175	251	251	251	251	258	258	258	258	-	-	-	-	
Performance(star rating)		-	-	-	-	4	4	4	4	4	4	4	4	4	-	-	-	-	
Energy Consumption	kWh/24h	0,301	0,391	0,301	0,391	0,695	0,661	0,842	1,096	1,498	0,608	0,772	1,013	1,383	0,459	0,286	0,372	0,657	
Energy Consumption	kWh/year	110	143	110	143	254	241	307	400	547	222	282	370	505	168	104	136	240	
Freezing Capacity	kg/24h	-	-	-	-	15	14(32°C) / 15(25°C)	14(32°C) / 15(25°C)	14(32°C) / 15(25°C)	14(32°C) / 15(25°C)	26	22(32°C) / 26(25°C)	22(32°C) / 26(25°C)	22(32°C) / 26(25°C)	-	-	-	-	
Temperature Rise Time(-18oC to -9oC)	mins	-	-	-	-	600	480/570	480/570	480/570	480/570	960	840(32°C) / 960(25°C)	840(32°C) / 960(25°C)	840(32°C) / 960(25°C)	-	-	-	-	
Noise Emission	dB (A)	42	40	41	40	43	45	44	44	44	43	39	40	43	40	42	40	41	
Defrost System Type Fridge/Freezer		Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Manual	Manual	Manual	Manual	Automatic	Automatic	Automatic	Automatic	
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	
Product Dimensions(WxDxH)	mm	595x632,5x1868	595x632,5x1868	595x632,5x1850	595x632,5x1850	540x595x1455	595x634x1868	595x634x1868	595x634x1868	595x634x1868	595x632,5x1855	595x632,5x1855	595x632,5x1855	595x632,5x1855	595x632,5x1555	595x632,5x1555	595x632,5x1555	595x632,5x1555	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x703x1916	664x703x1916	664x703x1916	664x703x1916	578x632x1509	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1616	664x703x1616	664x703x1616	664x703x1616	
Loading Quantity / 40ft HC	pcs	72	72	72	72	128	72	72	72	72	72	72	72	72	78	78	78	78	
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	



SPECIFICATIONS

SINGLE DOORS																
Model	321E				320			425	425 TURBO			340	340 TURBO			255 DB (4*)
Refrigerator Class	8				8			7	7			7	7			7
Climatic Class	GT/N (16 °C-43°C)				GT/SN (10 °C-43°C)			GT/N (16 °C-43°C)	GT/N (16 °C-43°C)	GT/SN (16 °C-43°C)	GT/N (16 °C-43°C)	GT/SN (10 °C-43°C)			GST/SN (10 °C-38°C)	GN (16 °C-32°C)
Energy Class	A++	A+	A	B	A++	A+	A	B	A+	A	A	A+	A	A++	A+	
Volume Total(gross)	lt	225	225	225	225	232	232	232	405	405	405	323	323	323	323	230
Volume Total(net)	lt	194	194	194	194	206	206	206	382	381	381	312	311	311	311	226
Volume Refrigerator (gross)	lt	0	0	0	0	-	-	-	358	358	358	288	288	288	288	209
Volume Refrigerator (net)	lt	0	0	0	0	-	-	-	342	341	341	282	281	281	281	206
Volume Freezer(gross)	lt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Volume Freezer(net)	lt	225	225	225	225	232	232	232	47	47	47	35	35	35	35	21
Chiller Volume(net)	lt	194	194	194	194	206	206	206	40	40	40	30	30	30	30	20
Performance(star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Energy Consumption	kWh/24h	0,576	0,734	0,952	1,302	0,542	0,690	0,904	1,433	0,803	1,055	0,932	0,718	0,932	0,539	0,570
Energy Consumption	kWh/year	210	268	348	475	198	252	330	523	293	385	340	262	340	197	208
Freezing Capacity	kg/24h	16	16	16	16	24	22(32°C) / 24(25°C)	22	2	2	2	2	2	2	2	2
Temperature Rise Time(-18oC to -9oC)	mins	510/600	510/600	510	510	1080	1080	1080	780	1083	1083	720	720	720	720	800
Noise Emission	dB (A)	44	43	43	43	43	39	43	42	42	42	43	43	43	43	43
Defrost System Type Fridge/Freezer		Manual	Manual	Manual	Manual	Manual	Manual	Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product Dimensions(WxDxH)	mm	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	700x635,2x1728	700x635,2x1728	700x635,2x1728	595x598x1720	595x598x1720	595x598x1720	595x598x1720	540x595x1440
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	769x702x1791	769x702x1791	769x702x1791	664x668x1779	664x668x1779	664x668x1779	664x668x1779	578x632x1509
Loading Quantity / 40ft HC	pcs	78	78	78	78	78	78	78	70	70	70	74	74	74	74	128
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

SINGLE DOORS														
Model	245				2451				265			250	240	
Refrigerator Class	8				8				1			1	7	
Climatic Class	GT/N (16 °C-43°C)				FT/N (16 °C-43°C)	GT/SN (10 °C-43°C)			GN (16 °C-32°C)			GN (16 °C-32°C)	GN (16 °C-32°C)	
Energy Class	A+	A	B	B	A++	A+	A	A++	A+	A	A	A+	A+	
Volume Total(gross)	lt	210	210	210	210	210	210	210	253	253	253	206	195	
Volume Total(net)	lt	182	182	182	182	182	182	182	250	250	250	204	192	
Volume Refrigerator (gross)	lt	0	0	0	0	0	0	0	253	253	253	206	178	
Volume Refrigerator (net)	lt	0	0	0	0	0	0	0	250	250	250	204	175	
Volume Freezer(gross)	lt	-	-	-	-	-	-	-	-	-	-	-	-	
Volume Freezer(net)	lt	210	210	210	210	210	210	210	0	0	0	0	17	
Chiller Volume(net)	lt	182	182	182	182	4*=164/2*=18	182	182	0	0	0	0	17	
Performance(star rating)		4	4	4	4	4	4	4	-	-	-	-	4	
Energy Consumption	kWh/24h	0,652	0,854	1,164	1,164	0,509	0,652	0,854	0,272	0,348	0,447	0,335	0,537	
Energy Consumption	kWh/year	238	312	425	425	186	238	312	99	127	163	122	196	
Freezing Capacity	kg/24h	13(32°C) / 15(25°C)	13(32°C) / 15(25°C)	16	16	15	15	15	-	-	-	-	2	
Temperature Rise Time(-18oC to -9oC)	mins	660(32°C) / 780(25°C)	660(32°C) / 780(25°C)	660(32°C) / 780(25°C)	660	780	780	780	-	-	-	-	750	
Noise Emission	dB (A)	39	39	43	45	41	41	41	42	42	42	40	43	
Defrost System Type Fridge/Freezer		Manual	Manual	Manual	Manual	Manual	Manual	Manual	Automatic	Automatic	Automatic	Automatic	Automatic/ Manual	
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	
Product Dimensions(WxDxH)	mm	540x595x1440	540x595x1440	540x595x1440	540x595x1440	540x595x1455	540x595x1455	540x595x1455	540x595x1440	540x595x1440	540x595x1440	540x562,5x1235	540x562,5x1235	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x627x1300	578x627x1300	
Loading Quantity / 40ft HC	pcs	128	128	128	128	128	128	128	128	128	128	152	152	
Refrigerating Gas		R600a	R600a	R600a	R134	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	

TABLE TOP																		
Model		140 DB (2*)			140 DB (4*)					1101				1001		1002		
Refrigerator Class		5			7					5				1		1		
Climatic Class		GN (16 °C-32°C)	GT/N (16 °C-43°C)		GN (16 °C-32°C)			GT/SN (10 °C-43°C)		GN (16 °C-32°C)	GST/N (16 °C-38°C)			GT/N (16 °C-43°C)	GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)	
Energy Class		A	A+	A	A++	A+	A	A++	A+	A+++	A++	A+	A+	A+	A++	A+	A+	
Volume Total(gross)	lt	119	119	119	119	119	119	119	119	84	84	84	84	91	91	91	91	
Volume Total(net)	lt	117	117	117	117	117	117	117	117	81	81	81	81	88	88	89	89	
Volume Refrigerator (gross)	lt	106	106	106	106	106	106	106	106	74	74	74	74	91	91	91	91	
Volume Refrigerator (net)	lt	105	105	105	105	105	105	105	105	73	73	73	73	88	88	89	89	
Volume Freezer(gross)	lt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Volume Freezer(net)	lt	13	13	13	13	13	13	13	13	10	10	10	10	-	-	-	-	
Chiller Volume(net)	lt	12	12	12	12	12	12	12	12	8	8	8	8	-	-	-	-	
Performance(star rating)		2	2	2	4	4	4	4	4	2	2	2	2	-	-	-	-	
Energy Consumption	kWh/24h	0,445	0,359	0,463	0,364	0,464	0,600	0,383	0,487	0,171	0,260	0,331	0,335	0,241	0,309	0,241	0,309	
Energy Consumption	kWh/year	163	131	169	133	169	219	140	178	62	95	121	122	88	113	88	113	
Freezing Capacity	kg/24h	-	-	-	2	2	2	2	2	-	-	-	-	-	-	-	-	
Temperature Rise Time(-18oC to -9oC)	mins	-	-	-	615	615	615	615	615	-	-	-	-	-	-	-	-	
Noise Emission	dB (A)	41	41	41	41	41	41	41	41	39	41	41	41	TBD	43	43	43	
Defrost System Type Fridge/Freezer		Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	
Product Dimensions(WxDxH)	mm	540x595x838	540x595x838	540x595x838	540x595x838	540x595x838	540x595x838	540x595x838	540x595x838	480x560x838	480x560x838	480x560x838	480x560x838	480x500x821	480x500x821	480x500x821	480x500x821	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	519x587x878	519x587x878	519x587x878	519x587x878	519x544x878	519x544x878	519x544x878	519x544x878	
Loading Quantity / 40ft HC	pcs	225	225	225	225	225	225	225	225	274	274	274	274	274	274	274	274	
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	

TABLE TOP									
Model		1005		1501		1501		1451	
Refrigerator Class		8		1		1		8	
Climatic Class		GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)		GT/N (16 °C-43°C)		GT/SN (10 °C-43°C)	
Energy Class		A++	A+	A+++	A+	A++	A++	A+	
Volume Total(gross)	lt	64	64	107	107	107	80	80	
Volume Total(net)	lt	63	63	106	106	106	71	71	
Volume Refrigerator (gross)	lt	-	-	107	107	107	-	-	
Volume Refrigerator (net)	lt	-	-	106	106	106	-	-	
Volume Freezer(gross)	lt	-	-	-	-	-	-	-	
Volume Freezer(net)	lt	64	64	-	-	-	80	80	
Chiller Volume(net)	lt	63	63	-	-	-	71	71	
Performance(star rating)		4	4	-	-	-	4	4	
Energy Consumption	kWh/24h	0,361	0,460	0,165	0,315	0,246	0,372	0,474	
Energy Consumption	kWh/year	132	168	60	115	90	136	173	
Freezing Capacity	kg/24h	4	4	-	-	-	7,5	7,5	
Temperature Rise Time(-18oC to -9oC)	mins	960	960	-	-	-	840	840	
Noise Emission	dB (A)	43	43	41	41	41	43	39	
Defrost System Type Fridge/Freezer		Manual	Manual	Automatic	Automatic	Automatic	Manual	Manual	
Built in		NO	NO	NO	NO	NO	NO	NO	
Product Dimensions(WxDxH)	mm	480x510x821	480x510x821	540x595x838	540x595x838	540x595x838	540x615x838	540x615x838	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	519x544x878	519x544x878	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	
Loading Quantity / 40ft HC	pcs	274	274	225	225	225	225	225	
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	

# SPECIFICATIONS

RETRO											
Model	340 TURBO RETRO			345 TURBO RETRO			3451 TURBO RETRO		3451 RETRO	365 RETRO	3664M RETRO
Refrigerator Class	7			7			7		7	7	7
Climatic Class	GT/SN (10 °C-43°C)	GST/SN (10 °C-38°C)	GST/N (16 °C-38°C)	GT/N (16 °C-43°C)		GT/SN (10 °C-43°C)		GST/N (16 °C-38°C)	GN (16 °C-32°C)	GT/N (16 °C-43°C)	
Energy Class	A+	A++	A+	A+	A	A++	A+	A++	A+	A+	
Volume Total(gross)	lt	323	323	317	317	310	310	310	344	335	
Volume Total(net)	lt	311	311	311	311	304	304	305	317	318	
Volume Refrigerator (gross)	lt	288	288	246	246	246	246	246	234	237	
Volume Refrigerator (net)	lt	281	281	241	241	241	241	242	228	231	
Volume Freezer(gross)	lt	-	-	-	-	-	-	-	-	-	
Volume Freezer(net)	lt	35	35	71	71	64	64	64	110	98	
Chiller Volume(net)	lt	30	30	70	70	63	63	63	89	87	
Performance(star rating)		4	4	4	4	4	4	4	4	4	
Energy Consumption	kWh/24h	0,718	0,539	0,732	0,767	1,005	0,589	0,751	0,564	0,720	0,836
Energy Consumption	kWh/year	262	197	267	280	367	215	274	206	263	305
Freezing Capacity	kg/24h	2	2	3,5	3,5	3,5	3,5	3,5	3,5	4,6	4,2
Temperature Rise Time(-18oC to -9oC)	mins	720	720	1140	960	960	1150	1150	1150	1020	600
Noise Emission	dB (A)	43	43	42	42	42	42	42	42	42	45
Defrost System Type Fridge/Freezer		Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic / Manual	Automatic
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product Dimensions(WxDxH)	mm	605x635,5x1769	605x635,5x1769	605x635,5x1754	605x635,5x1754	605x635,5x1754	605x635,5x1754	605x635,5x1754	605x635,5x1754	605x635,5x1900	605x670x1900
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	680 x 736 x 1845	680 x 736 x 1845	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1975	680 x 770 x 1975
Loading Quantity / 40ft HC	pcs	67	67	67	67	67	67	67	67	65	62
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

**Vestel Trade Co.**

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

**Phone:** 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestel.com.tr

**Vestel Benelux B.V.**

P.O. Box 29179 3001 GD - Rotterdam / Netherlands

**Phone:** 31 - 10 235 1000

Fax: 31 - 10 235 1003

info@vestelbenelux.nl

www.vestelbenelux.nl

**TOO Vestel Central Asia**

Dostyk Avenue, 132 , Office 6, Almaty/Kazakhstan

**Phone:** 7 - 727 262 83 01

**Vestel CIS Ltd.**

1-st Graivoronovsky Proezd, No.20 Building 16, 109518,  
Moscow /Russia

**Phone:** 7 - 095 956 8230

Fax: 7 - 095 956 8233

info@vestel.ru

www.vestel.ru

**Vestel Electronica**

Str Zidarului nr 9-11, Sector 5 Bucuresti, ZIP 051765

Bucharest/Romania

**Phone:** 40 - 31 425 42 93

Fax: 40 -31 425 42 95

office@vestel.ro

www.vestel.ro

**Vestel France S.A.**

17 Rue de la Couture-Silic BP 10190-94563 RUNGIS

Cedex/France

**Phone:** 33 - 1 46 75 00 29

Fax: 33 - 1 41 80 99 31

p.benhamou@vestel-france.fr

**Vestel Germany GmbH**

Parkring 6 85748 Garching b. München/Germany

**Phone:** 49 - 89 55295 - 0

Fax: 49 - 89 55295 - 2000

info@vestel-germany.de

www.vestel-germany.de

**Gruppo Industriale Vesit SPA**

Via polidoro da Caravaggio, 6, 20156 - Milano/Italy

**Phone:** 39 - 02 842 48577

Fax: 39 - 02 842 48617

info@givesit.it

www.givesit.it

**Vestfrost Household**

Spangsbjerg Mollevej 100, DK-6705 Esbjerg 0, Denmark

**Phone:** 45 - 7610 4045

Fax: 45 - 7610 4046

**Vestel Iberia**

Avda, Partenon, 16-18 Planta 1 Oficina 6, 28042 Madrid/

Spain

**Phone:** 34 -91 320 63 98

Fax: 34 -91 320 52 58

vestel@vestel.es www.vestel.es

**Vestel Poland**

Poleczki 33, 02-822 Warszawa, Mazowieckie

**Phone:** 48 22 2555700

info@vestel-poland.com

**Vestel Scandinavia**

Postikatu 4, FI-04400 Järvenpää / Finland

**Phone:** 358 - 46 712 2262

Fax: 358 - (0) 9 251 7 8222

**Vestel UK Ltd**

Vestel House, Waterside Drive

Langley, Berkshire SL3 6EZ

**Phone:** 44 - 3330 146 400

info@vestel-uk.com

www.vestel.co.uk

**United Technical Services**

S.R.O. ul. Seneckâ 16, 91101 Samorin, Slovakia

**Phone:** 421- 31 590 27 31

Fax: 421- 31 590 27 38

info@uts.sk

www.uts.sk

# VESTEL

---

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

**Phone:** 90 - 236 233 25 82 **Fax:** 90 - 236 233 25 84

[vesteltrade@vestel.com.tr](mailto:vesteltrade@vestel.com.tr)

[www.vestel.com.tr](http://www.vestel.com.tr)